


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: FORD	SW 1/4 SW 1/4 NW 1/4	16	T 27 S	R 22 E/W

Distance and direction from nearest town or city street address of well if located within city?

3 1/2 mile north FORD, KS

2 WATER WELL OWNER: Everett N. M	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: RR 2	Application Number:
City, State, ZIP Code: Spearville, KS. 67876	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 150 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 64 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 64 ft. below land surface measured on mo/day/yr 13 Oct 81
	N/A Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield 40 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 10 in. to 150 ft., and in. to ft.
	WELL WATER TO BE USED AS:
	<input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
	Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 120 ft., Dia.			11 Other (specify)
Casing height above land surface 14 in., weight 250 lbs./ft. Wall thickness or gauge No. 250			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	2 PVC		
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 120 ft. to 150 ft.		
	From ft. to ft.		
GRAVEL PACK INTERVALS:	From 150 ft. to 20 ft.		
	From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 20 ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? W			13 Insecticide storage	
			How many feet? 150	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Topsoil			
3	11	SAND			
11	32	Rock			
32	67	Gravel			
67	76	Rock			
76	150	Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 13 Oct 81 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 111 This Water Well Record was completed on (mo/day/yr) 13 Oct 81 under the business name of Cross Drilling by (signature) Ray Ph...
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.