

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Ford	Fraction SW 1/4 SW 1/4 SW 1/4	Section number 19	Township number T 27	Range number S R 23 E/W
2. Distance and direction from nearest town or city: 10 miles east of Dodge City, Ks. on the Wilroads Garden Road.			3. Owner of well: Roger Jones R.R. or street: 1708 Central City, state, zip code: Dodge City, Kansas		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 9 in. Completion date 1-18-77 Well depth 210 ft.	
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
5. Type and color of material		From	To	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Surface		0	3	9. Casing: Material plastic Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.8 lbs./ft. Dia. 5 in. to 210 ft. depth Wall Thickness: inches or Dia. 5 in. to 210 ft. depth gage No. 0.250	
Fine sand		3	11	10. Screen: Manufacturer's name Jess and Lowell Type RMP Dia. 5" Slot/gauze 1/16 Length 50' Set between 160 ft. and 210 ft. ft. and 210 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 1/8"	
Brown clay		11	13	11. Static water level: 75 ft. below land surface Date 1-19-77 mo./day/yr.	
Fine sand		13	32	12. Pumping level below land surfaces: 80 ft. after 2 hrs. pumping 30 g.p.m. ft. after 2 hrs. pumping 30 g.p.m. Estimated maximum yield 30 g.p.m.	
Brown clay		32	40	13. Water sample submitted: 1-19-77 mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
Fine sand		40	48	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade	
Brown and tan clay		48	63	15. Well grouted? <input checked="" type="checkbox"/> With <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 13 ft.	
A-1 medium to coarse sand and gravel		63	90	16. Nearest source of possible contamination: NC ft. 0 Direction NC Type NC Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Tan clay with 30% fine sand mixed		90	114	17. Pump: Not installed Manufacturer's name Reda Model number 19DI8P201 HP 2 Volts 220 Length of drop pipe 147 ft. capacity 30 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Fine sand		114	120	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Hodde Drilling Co. 302 Business name H.R.1 Dodge City, KS License No. Address H.R.1 Dodge City, KS Signed Willie J. Hodde Jr. Date 1-20-77 Authorized representative	
Half medium sand and gravel		120	130		
Brown clay		130	133		
Fine sand		133	136		
Brown clay		136	145		
Half medium to medium sand and gravel		145	160		
Brown clay (Use a second sheet if needed)		160	162		
18. Elevation:		19. Remarks: A-1 medium to coarse bottom sand and gravel		165 210	
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5