

<b>1 LOCATION OF WATER WELL:</b> County: Ford		Fraction SW ¼ SW ¼ NE ¼	Section Number 24	Township Number T 27 S	Range Number R 23 E/W
Distance and direction from nearest town or city street address of well if located within city? <b>3½ Northwest of Ford on Highway 154</b>					
<b>2 WATER WELL OWNER:</b> RR#, St. Address, Box # : City, State, ZIP Code :		Duane Riegel Ford, Kansas 67842			
		Board of Agriculture, Division of Water Resources Application Number: ----			
<b>3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:</b>		<b>4 DEPTH OF COMPLETED WELL:</b> 180 ft. <b>ELEVATION:</b> Hill			
		Depth(s) Groundwater Encountered 1. 119 ft. 2. . ft. 3. . ft.			
		WELL'S STATIC WATER LEVEL 44 ft. below land surface measured on mo/day/yr Jan., 12, 1983			
		Pump test data: Well water was . ft. after . hours pumping . gpm			
		Est. Yield 30-40 gpm; Well water was . ft. after . hours pumping . gpm			
		Bore Hole Diameter 9 7/8 in. to 180 ft., and . in. to . ft.			
		WELL WATER TO BE USED AS: XX Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No...XX.; If yes, mo/day/yr sample was submitted			
<b>5 TYPE OF BLANK CASING USED:</b>		Water Well Disinfected? Yes XX No			
1 Steel 3 RMP (SR) XXX PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass			
Blank casing diameter .5 in. to .140 ft., Dia . in. to . ft., Dia . in. to . ft. Casing height above land surface .12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. .265		CASING JOINTS: Glued XX Clamped . Welded . Threaded .			
<b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b>		XX PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . ft. 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
<b>SCREEN OR PERFORATION OPENINGS ARE:</b>		5 Gauzed wrapped XX Saw cut 11 None (open hole) 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) . ft.			
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched					
<b>SCREEN-PERFORATED INTERVALS:</b> From .140 ft. to .180 ft., From . ft. to . ft. From . ft. to . ft., From . ft. to . ft.					
<b>GRAVEL PACK INTERVALS:</b> From .14 ft. to .180 ft., From . ft. to . ft. From . ft. to . ft., From . ft. to . ft.					
<b>6 GROUT MATERIAL:</b> XX Neat cement 2 Cement grout 3 Bentonite 4 Other .					
Grout Intervals: From .4 ft. to .14 ft., From . ft. to . ft., From . ft. to . ft.					
What is the nearest source of possible contamination:		10 Livestock pens X Abandoned water well 11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage . ft.			
1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well? West		How many feet? 9			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Topsoil			
2	20	Caliche			
20	119	Rainbow Clay			
119	166	Sandstone, Fine			
166	188	Rainbow Clay, Hard			
<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) January 12, 1983 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/year) January 27, 1983 under the business name of Friesen Windmill & Supply Inc. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					