WATER WELL R	ECORD Form WWC-5	1.15	Div Div	ision of Water	1 1	Well ID	
Original Record 1 LOCATION OF W	ATER WELL: Fraction	Sec	urces App. No tion Number		r Range Number		
County: Ford NW'4 NE'4 NE'4 NW4 34 T 27 S R 23 E \(\text{I} \) W						R 23 □ E 🛛 W	
2 WELL OWNER: L	Street or Ru	et or Rural Address where well is located (if unknown, distance and tion from nearest town or intersection): If at owner's address, check here:					
	Business: Address: 3735 Forest Ave			From the intersection of 121 and saddle road:			
Address:				1 Mile North and 1/2 Mile East.			
3 LOCATE WELL	City. Torba Lilida State. St. 52.0200						
WITH "X" IN	Denth(s) Groundwater Encountered:	4 DEPTH OF COMPLETED WELL:500 ft. bepth(s) Groundwater Encountered: 1)110 ft. Long			ude: 99.8268	56 (decimal degrees)	
SECTION BOX:	2) ft. 3) ft.	, or 4)	Dry Well	Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEVEL: ☑ below land surface, measured on	l.	.!.Q ft. _{/-vr)} 06/01/2018	Source for Latitude/Longitude: GPS (unit make/model:)			
NW NE	above land surface, measured on	(mo-day	-yr)		(WAAS enabled?		
	Pump test data: Well water was				nd Survey Topograp		
W E	after hours pumping Well water was			□ Or	line Mapper:		
SW SE	after hours pumping		. gpm	6 Elevat	ion: 2464 ft	☑ Ground Level ☐ TOC	
S	Estimated Yield:40gpm Bore Hole Diameter:10.5 in. to .	500	ft. and		Source: Land Survey GPS Topographic Map		
mile	in. to		ft.		Other KOLAR		
7 WELL WATER TO		-11 ID		10 🗆 0:1	Field Water Supply: les	ıse	
1. Domestic: Description of the content of the c	 5. □ Public Water Supply: w 6. □ Dewatering: how many 				ole: well ID		
☐ Lawn & Garden	7. Aquifer Recharge: well	ID			sed Uncased G		
Livestock 2. Irrigation	 Monitoring: well ID Environmental Remediation 				ermal: how many bores?		
3. ☐ Feedlot	☐ Air Sparge ☐ Soi			b) Op	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water		
4. Industrial	☐ Recovery ☐ Inj						
	riological sample submitted to KD	HE?	Yes 🔽 No	If yes, date	sample was submitted	l:	
Water well disinfected?	HCED. C Street D DVC C Other		CASI	NG IOINTS:	☐ Glued ☑ Clamped	□ Welded □ Threaded	
Casing diameter6	in. to		. in. to	ft., Diam	eter in. to		
Casing height above land	surface		lbs./ft.	Wall thick	ness or gauge No. SDR	1./	
	R PERFORATION MATERIAL: nless Steel	7] PVC		☑ Oth	er (Specify)	Certalok	
☐ Brass ☐ Galv	vanized Steel		used (open hole	e)	(- ,)		
l	ATION OPENINGS ARE:		Samuela Conta	مراتم المراتم	☐ Other (Specify)		
☐ Continuous Slot ☐ Louvered Shutter	☐ Mill Slot ☐ Gauze Wrapped ☐ Wire Wrapped		aw Cut \(\Bar\)				
SCREEN-PERFORAT	ED INTERVALS: From .280 ft.	to 400	ft., From .	420 ft. to	500 ft., From	ft. to ft.	
GRAVEL PA	CK INTERVALS: From30 ft.	to!4	Ontonita D	ther	500 ft., From	ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 5 ft. to 30 ft., From 140 ft. to 160 ft., From ft. to ft.							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Sewer Lines		it Privy ewage L	_	Livestock Per Fuel Storage	_	ned Water Well	
☐ Watertight Sewer Li	nes	eedyard		Fertilizer Sto	rage 🔲 Oil Wel	l/Gas Well	
Other (Specify) .No.	☑ Other (Specify) Nothing within 500!						
10 FROM TO	LITHOLOGIC LOG		FROM			PLUGGING INTERVALS	
Attached Attached	Attached						
			Notes:				
			140tes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\operation} \) constructed, \(\sqrt{\operation} \) reconstructed, or \(\sqrt{\operation} \) plugged under my jurisdiction and was completed on \(\text{(mod-day-year)} \) .07/01/2018 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Co	Kansas Water Well Contractor's License No. 849 This Water Well Record was completed on (mo-day-year) 0.703(2018						
under the business nam	_{le of} Nash Water Well Service, Ll	LC					
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.						
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212						

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Arthur Derstein	
Doc ID	1414365	

Litholgy

Littloigy		
0	22	FINE MEDIUM SAND
22	60	FINE MEDIUM SAND, WITH TAN CLAY STREAKS
60	75	FINE COARSE SAND, WITH SMALL TO MEDIUM GRAVEL, WITH STREAKS OF LARGE
75	100	TAN/YELLOW/GRAY WITH LIMESTONE
100	111	WHITE, TAN CLAY, WITH SANDSTONE STREAKS
111	150	FINE SAND, TAN CLAY
150	155	CLAY, GRAY/BLUE STICKY CLAY, WITH SANDSTONE
155	158	BLUE SHALE
158	160	FINE SAND
160	167	TAN/BROWN/GRAY CLAY, BLUE SANDSTONE, WITH THIN FINE SAND STREAKS
167	180	CLAY, WITH ROCK LAYERS
180	220	BLUE STICKY CLAY
220	290	BLUE CLAY, WITH THIN ROCK LAYERS
290	320	GRAY/BLUE CLAY, WITH GRAY SANDSTONE STREAKS, AND LAYERS
320	370	BLUE CLAY, WITH THIN SANDSTONE STREAKS

Ford Co

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Arthur Derstein	
Doc ID	1414365	

Litholgy

370	400	GRAY SANDSTONE, WITH BLUE CLAY
400	450	GRAY SANDSTONE, WITH BLUE CLAY 50/50
450	500	GRAY SANDSTONE, WITH BLUE CLAY
500	510	RED CLAY

ASA SER 1725 SERVE SERVE