| WATER WELL | | | WWC-5 | | sion of Water | 38417 | | | |
|--|--|---|--|------------------|--------------------------------|--|-----------------------------------|-------------------|--|
| ✓ Original Record | | | e in Well Use | | urces App. No. | | Well ID | N. 1 | |
| 1 LOCATION OF | WATER WEI | LL: | Fraction | | tion Number 29 | Township Numb | | nge Number | |
| County: Ford | | | NE 1/4 SE 1/4 NW 1/4 | | | T 27 S | | 3 □ E 🗹 W | |
| 2 WELL OWNER: Business: Winner's | | | | | | here well is located tersection): If at owne | | | |
| Address: 11995 Qu | | | | direction from r | learest town or if | nersection). If at owne | 1 5 address, | check here. | |
| Address: | | 140 | | | | | | | |
| City: Dodge (| Sity | State: KS | ZIP: 67835 | | | | | | |
| 3 LOCATE WELL WITH "X" IN | 4 DEPTH | I OF COM | IPLETED WELL: | 280 ft. | 5 Latitud | e: 37.6742 | 18 | (decimal degrees) | |
| SECTION BOX: | | Depth(s) Groundwater Encountered: 1) | | | | | (decimal degrees) | | |
| N | 2) | 2) ft. 3) ft., or 4) ☐ Dry Well Datum: ☑ WGS 84 ☐ NAD 83 ☐ NAD 27 | | | | | | JAD 27 | |
| | WELL'S S | WELL'S STATIC WATER LEVEL: | | | | | | | |
| NW NE | | | , measured on (mo-day- | | | (WAAS enabled? ☐ Yes ☐ No) | | | |
| | | | vater was ft | | | ☐ Land Survey ☐ Topographic Map ☐ Online Mapper: | | | |
| W E | after | | s pumping | | ☐ Onl | | | | |
| SW SE | after | | vater was fi s pumping f | | | | | | |
| | Estimated \ | Yield∙ 150 |) onm | | | o n :ft | | | |
| S | Bore Hole | Diameter: | 15 in to 280 | ft. and | | Source: Land Survey GPS Topographic Map | | | |
| 1 mile | | | in. to | ft. | | ☐ Other | | | |
| 7 WELL WATER T | | | | | | | | | |
| 1. Domestic: | | | iter Supply: well ID | | | Field Water Supply: 1 ble: well ID | | | |
| ☐ Lawn & Garden | | | g: how many wells? echarge: well ID | | | ed Uncased | | | |
| Livestock | | | g: well ID | | | rmal: how many bore | | | |
| 2. 🗌 Irrigation | 9. E | Environmenta | al Remediation: well ID |) | | ed Loop 🔲 Horizon | | | |
| 3. Feedlot | | Air Sparge | | Extraction | b) Open Loop | | | | |
| 4. Industrial | | Recovery | | | | | | | |
| Was a chemical/bact | | | nitted to KDHE? | Yes 🛮 No | If yes, date s | sample was submitte | ∌d: | | |
| Water well disinfected | | | G T 04 | CACD | IC IODITC. | | 1 D Walds | J D Throaded | |
| 8 TYPE OF CASIN Casing diameter8 | in to | 280 PV | Diameter | in to | NG JOHN 15: ft Diame | ter in to | u ∐ weide | d 🔲 Illieaded | |
| Casing diameter | d surface | in | . Weight | lbs./ft. | Wall thickn | ess or gauge No. SDI | ₹21 | | |
| TYPE OF SCREEN (| | | | | | | | | |
| | ainless Steel | | ∠ PVC | | | r (Specify) | | | |
| | alvanized Steel | ENIINGG A | | sed (open hole | e) | | | | |
| SCREEN OR PERFO | RATION OPI Mill Slot | | | rah Cut 🗆 🗅 | willed Heles | ☐ Other (Specify) | | | |
| ☐ Louvered Shutter | | | | | lone (Open Ho | | | | |
| | | | | | | | ft. to | ft. | |
| SCREEN-PERFORATED INTERVALS: From | | | | | | | | | |
| 9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other | | | | | | | | | |
| Grout Intervals: From | | | | | | | | | |
| Nearest source of possible contamination: No potential source of contamination within 200 ft. | | | | | | | | | |
| □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage ☑ Abandoned Water Well | | | | | | | | | |
| ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well | | | | | | | | | |
| Other (Specify) | | | | | | | | | |
| Direction from well? North Distance from well? 40 10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC NOT PLUGGING INTERVALS | | | | | | | | | |
| 10 FROM TO | | LITHOLOG | GIC LOG | FROM | 1 OT | THO. LOG (cont.) o | r PLUGGIN | GINTERVALS | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | Notes: | | | | | | | | |
| | | | | | | | | | |
| 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged | | | | | | | | | |
| under my jurisdiction | and was com | oleted on (r | S CERTIFICATION no-day-year) .12/29/2 | N: 1 his wate | r well was 🗹 this record is | true to the best of n | onstructed, ny knowl <i>ec</i> | lge and belief. | |
| Kansas Water Well (| ontractor's Li | cense No | 040 This Wa | ater Well Rec | cord was com | pieted on (mo-day-v | vear) .V.U.V. | 914V.44 | |
| under the business na | under the business name of Nash Water Well Service, LLC Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. | | | | | | | | |
| KS Danartment of Linds | Send one copy | to WATER V | Water Geology Section 16 | one for your rec | ords. Fee of \$5.0 | 00 for each <u>constructed</u> w | /ell. 867 Telephor | ne 785-296-3565 | |
| KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 | | | | | | | | | |

Visit us at http://www.kdheks.gov/waterwell/index.html

| Form | WWC5 | | |
|------------|------------------------------|--|--|
| Contractor | Nash Water Well Service, LLC | | |
| Well Owner | | | |
| Doc ID | 1592364 | | |

Lithology

| From | То | LithologicLog |
|------|-----|---|
| 0 | 40 | FINE COARSE SAND |
| 40 | 60 | FINE COARSE SAND SMALL TO LARGE GRAVEL |
| 60 | 80 | FINE COARSE SAND SMALL TO LARGE GRAVEL WITH THIN STREAKS OF BROWN CLAY |
| 80 | 100 | FINE COARSE SAND WITH TAN BROWN CLAY STREAKS & LAYERS |
| 100 | 120 | FINE COARSE SAND TAN WHITE CLAY CALICHE STREAKS & LAYERS MEDIUM 70% |
| 120 | 140 | FINE COARSE SAND WITH TAN CLAY STREAKS MEDIUM LOOSE 90% |
| 140 | 143 | ROCK HARD WHITE |
| 143 | 160 | FINE COARSE SAND SMALL GRAVEL STREAKS WITH THIN TAN / WHITE CLAY & CALICHE STREAKS 90% MEDIUM LOOSE |
| 160 | 170 | TIGHT FINE SAND TIGHT 80% |
| 170 | 180 | TAN YELLOW CLAY WITH FINE SAND STREAKS TIGHT 40% |
| 180 | 215 | TAN GRAY BLUE BROWN CLAY WITH FINE SAND STREAKS TIGHT 40% |

| Form | WWC5 | | |
|------------|------------------------------|--|--|
| Contractor | Nash Water Well Service, LLC | | |
| Well Owner | | | |
| Doc ID | 1592364 | | |

Lithology

| From | То | LithologicLog |
|------|-----|--|
| 215 | 220 | TAN GRAY BLUE RED PINK CLAY WITH FINE SAND STREAKS TIGHT 10% |
| 220 | 230 | TIGHT FINE SAND TIGHT 80% |
| 230 | 260 | TAN BROWN BLUE PINK CLAY WITH FINE |
| | | SAND STREAKS TIGHT 50% |
| 260 | 280 | RED BLUE CLAY |