RR#, St. Address, Box # : FORT DODGE R City, State, ZIP code : DODGE CITY,	ROAD KS 67801-	Board of Agriculture, Application Number:	Division of Water Resources
AN "I" IN SECTION BOX:	Depth(s) Groundwater Encou	ntered 1. 0 ft.	2. 0 ft. 3. 0 ft
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	WELL'S STATIC WATER LEVEL Pump testdata: We	35 ft. below land surface lil water was 0 ft. aft	measured on mo/day/yr 08/02/95 er 0 hours pumping 0 gp
W E	Estimated Yield 0 gpm: W Bore Hole Diameter	ell water was 0 ft. aft in. to 0 ft., and	er O hours pumping O gr in. to O ft.
/ Sk Sk		submitted	Water well disinfected? Ye
TYPE OF BLANK CASING USED: PVC Blank casing diameter 5 in. to Casing height above land surface 0 TYPE OF SCREEN OR PERFORATION MATERIAL: SCREEN OR PERFORATION OPENINGS ARE:	CASING JOINTS: 75 ft., Dia in. t in., weight 0 lbs/f		
SCREBU PERFORATED INTERVALS: P GRAVEL PACK INTERVALS: P	rou 0 ft. to 0 ft.,	From 0 ft. to 0 ft.	
GROUT MATERIAL BERTOWITE Grout Intervals: From 0 ft. to What is the nearest source of possible Direction from well?	contamination: NONE		How many feet?
FROM 10 LITE	OLOGIC LOG	5 7 CONC 7 15 BENT 15 30 PILL 30 35 BENT	PLUGGING INTERVALS SOIL & CLAY RETE DNITE GROUT