

1 LOCATION OF WATER WELL: County: <u>Ford</u>	Fraction: <u>NE 1/4 SE 1/4 NW 1/4</u>	Section Number: <u>3</u>	Township Number: <u>T 27 S</u>	Range Number: <u>R 24 E</u>
--	---------------------------------------	--------------------------	--------------------------------	-----------------------------

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>Kansas Soldiers Home</u> RR#, St. Address, Box #: <u>101 Pershing Avenue</u> City, State, ZIP Code: <u>FT. Dodge, KS. 67843</u>	<u>MW-19</u> Board of Agriculture, Division of Water Resources Application Number: <u>2452.58' (TOC)</u>
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>48.0</u> ft. ELEVATION: <u>2452.58' (TOC)</u>
--	---

Depth(s) Groundwater Encountered: 1. \_\_\_\_\_ ft. 2. \_\_\_\_\_ ft. 3. \_\_\_\_\_ ft.

WELL'S STATIC WATER LEVEL: 23.38 ft. below land surface measured on mo/day/yr 10/14/93

Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

Est. Yield \_\_\_\_\_ gpm Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

Bore Hole Diameter: 10.0 in. to 32.0 ft. and 8.0 in. to 48.0 ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		<u>10 Monitoring well</u>

Was a chemical bacteriological sample submitted to Department? Yes \_\_\_\_\_ No X If yes, mo/day/yr sample was submitted \_\_\_\_\_

Water Well Disinfected? Yes \_\_\_\_\_ No X

5 TYPE OF BLANK CASING USED:	3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
------------------------------	----------------	-----------------	--

1 Steel

2 PVC

3 RMP (SR)

4 ABS

Blank casing diameter: 4 in. to 32 ft. Dia 2 in. to 23 ft. Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.

Casing height above land surface: 0 in. weight \_\_\_\_\_ lbs. ft. Wall thickness or gauge No. 40

5 Fiberglass

6 Asbestos-Cement

7 Fiberglass

8 RMP (SR)

9 Other (specify below)

10 Asbestos-cement

11 Other (specify)

12 None used (open hole)

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	<u>3 Mill slot</u>	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 23 ft. to 48 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

GRAVEL PACK INTERVALS: From 20 ft. to 48 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL:	1 Neat cement	<u>2 Cement grout</u>	<u>3 Bentonite</u>	4 Other
-------------------	---------------	-----------------------	--------------------	---------

Grout Intervals: From 0 ft. to 18 ft. From 18.0 ft. to 20.0 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well?		LITHOLOGIC LOG		PLUGGING INTERVALS	
FROM	TO	FROM	TO	FROM	TO
<u>0</u>	<u>11.0'</u>				
		clay, Brown with silt sand, Fine to coarse, clay, Light Grey w/ anhydrite			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) <u>7/13/93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>483</u> This Water Well Record was completed on (mo/day/yr) <u>12-20-95</u> under the business name of <u>TEST</u> by (signature) <u>Bob TR...</u>
---