

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Ford	NE ¼ SE ¼ SE ¼	2	T 27 S	R 24 E	EW
Distance and direction from nearest town or city street address of well if located within city? From Wright-Coronado road & 154 junction - 1/4 mile North					
2 WATER WELL OWNER: Noble Stone RR#, St. Address, Box # : City, State, ZIP Code :		Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL... 205 ft. ELEVATION:			
<div style="text-align: center;">NW NE SW SE X</div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL .. 121 ft. below land surface measured on mo/day/yr . . 7-10-89 Pump test data: Well water was ft. after hours pumping gpm Est. Yield .. 45 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter ... 10 in. to 205 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No.. XX.; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued .. XX Clamped			
Blank casing diameter 5 in. to 205 ft., Dia in. to ft., Dia in. to ft.		Casing height above land surface 12 in., weight 200 psi lbs./ft. Wall thickness or gauge No. . SDR 21			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		GRAVEL PACK INTERVALS:			
FROM FROM 180 ft. to 200 ft. From ft. to ft. From ft. to ft. From ft. to ft.		FROM FROM 25 ft. to 205 ft. From ft. to ft. From ft. to ft. From ft. to ft.			
6 GROUT MATERIAL:		Grout Intervals: From 5 ft. to 25 ft. From ft. to ft. From ft. to ft.			
What is the nearest source of possible contamination: none		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? NA How many feet? NA NONE			
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0 20 Top soil & clay					
20 40 Clay					
40 60 Clay & cleechie					
60 80 Cleechie, & clay (lost circulation)					
80 100 Fine sand & rock layers					
100 120 Fine sand & clay layers					
120 160 Fine sand, clay & medium sand (sand is in layers)					
160 180 Fine sand & clay layers					
180 205 Medium to coarse sand (very loose)					
205 230 Clay, medium sand (turns fluid to rust)					
230 240 Blue shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-11-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . . 179 This Water Well Record was completed on (mo/day/yr) 8-4-89 under the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) J. Smith Creek					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.					