


1 LOCATION OF WATER WELL: County: Ford		Fraction NW 1/4 SW 1/4 NW 1/4		Section Number 9	Township Number T 27 S	Range Number R 24
Distance and direction from nearest town or city street address of well if located within city? Approx. 3 1/4 miles east and 1 mile south of Dodge City						
2 WATER WELL OWNER: Wilroads Feed Yard RR#, St. Address, Box # : Route 3 City, State, ZIP Code : Dodge City, KS 67801 Board of Agriculture, Division of Water Resources Application Number: 38917						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL 174 ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 55 ft. below land surface measured on mo/day/yr Oct. 9, 1990 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 50 gpm Well water was ft. after hours pumping gpm Bore Hole Diameter 11 in. to 174 ft. and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes x No				
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued x Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter 6 in. to 174 ft. Dia in. to ft. Dia in. to ft. Casing height above land surface 12 in. weight 4.13 lbs./ft. Wall thickness or gauge No. 316w TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 117 ft. to 177 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 25 ft. to 70 ft. From 80 ft. to 177 ft. From ft. to ft. From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 5 ft. to 25 ft. From 70 ft. to 80 ft. From 174 ft. to 177 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? east How many feet? 20 FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS See attached Log.						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/5/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 10/31/90 under the business name of Henkle Drilling & Supply Co., Inc- by (signature) Bruce J. Henkle						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						



3795 W. JONES AVE.
316/277-2389
FAX/277-0224

CUSTOMER'S NAME	Wilroads Feed Yard	DATE	10/04/90
STREET ADDRESS	Rt. 3	TEST #	1 E. LOG Yes
CITY & STATE	Dodge City, KS 67801	DRILLER	Norman
COUNTY	Ford	QUARTER	NW
		SECTION	9
		TOWNSHIP	27
		RANGE	24
LOCATION	390' North of well #2 - North well		

SERVING THE GREAT SOUTHWEST *with* WATER, WHERE AND WHEN YOU WANT IT.