


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction NW 1/4 SE 1/4 NW 1/4	Section number 10	Township number T 27 S R 24 x/W	Range number
2. Distance and direction from nearest town or city: Well is located in Improvement District Street address of well location if in city:			3. Owner of well: Wilroads Gardens Improvement District R.R. or street: City, state, zip code: Wilroads Gardens, Kansas			
4. Locate with "X" in section below: 		Sketch map: Well No. 1		6. Bore hole dia. 36 in. Completion date 4/20/79 Well depth 145 ft.		
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
Top soil		0	3	8. Use: <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Fine sand		3	6	9. Casing: Material Steel Height: Above or xxx Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 43.77 lbs./ft. Dia. 12 in. to 125 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 0.330		
Fine sand to fine gravel		6	16	10. Screen: Manufacturer's name Mustang Wire Wrap Type Stainless Dia. 12" Slot/gauze 0.070" Length 20' Set between 125 ft. and 145 ft. ft. and <input type="checkbox"/> ft.		
Sandy clay		16	32	11. Static water level: <input type="checkbox"/> mo./day/yr. 12.75 ft. below land surface Date 4/20/79		
Fine sand to fine gravel w/clay streaks		32	49	12. Pumping level below land surfaces: 24.6 ft. after 8 hrs. pumping 401 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1000 g.p.m.		
Clay		49	66	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
Fine sand w/streaks of sandy clay		66	71	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade		
Sandy clay		71	88	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 8 ft. to 28 ft.		
Fine to coarse gravel w/fine sand		88	145	16. Nearest source of possible contamination: Farm House ft. 1200 Direction SE Type House Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
(Use a second sheet if needed)				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Layne & Bowler Model number 8DRLC HP 10 Volts 230 Length of drop pipe 60 ft. capacity 300 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name Wichita, Kansas License No. <input type="checkbox"/> Address Layne G. Kroll Date 5/14/79 Signed Layne G. Kroll Authorized representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5