			WATE	R WELL RECORD FO	orm WWC-5	KSA 82a	a-1212		
.1	ON OF WAT		Fraction	A717 A717		tion Number	Township Nur		Range Number
County:	Ford		NW 1/2	·	1/4	10	т 27	<u> </u>	R 24 E/W
Distance a		oads Garde		address of well if located	within city?				
WATER	R WELL OW	NER: Geo	rge Presto	n					
	Address, Box	(#:					Board of Ag	riculture,	Division of Water Resources
City, State	, ZIP Code	: Wil	roads Gard	en, Kansas 67801			Application I	Number:	
LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF C	COMPLETED WELL	155	ft. ELEVA	TION:		
AN "X"	IN SECTION	N BOX:							3
ī	!	X !	T.						. April .7, 1986.
l 1_	- NW	NE							mping gpm
	1								mping gpm
• ., L	i .		Bore Hole Diam	eter8in. to	155	ft.,	and	in	. to
∰ w ├	-	1	WELL WATER	TO BE USED AS: 5	Public water	r supply	8 Air conditioning	11	Injection well
7	. – SW – –	SE	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
	>W	3	2 Irrigation	4 Industrial 7	Lawn and g	garden only	10 Observation well		
1 1	i	1	Was a chemical	/bacteriological sample sul	bmitted to D	epartment? Y	esNoX	X; If yes	, mo/day/yr sample was sub-
_			mitted			Wa	ter Well Disinfected	? Yes X	X No
TYPE (OF BLANK	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glue	X No dXXClamped
1 Ste	eel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify below	w)	Weld	led
2 PV		4 ABS		7 Fiberglass				Threa	aded
Blank casi	ng diameter	5	.in. to 15.	5 ft., Dia	in. to		ft., Dia		in. to ft.
Casing he	ight above la	and surface	. 1,2	.in., weight 200 .	psi	Ibs.	ft. Wall thickness or	gauge N	oSDR 21
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		7 PV	C	10 Asbe	stos-ceme	ent
1 Steel 3 Stainless steel				5 Fiberglass 8 RMP (SF			11 Other (specify)		
2 Bra	ass	4 Galvania	zed steel	6 Concrete tile	9 AB	S	12 None		
SCREEN	OR PERFOR	RATION OPENIN	NGS ARE:	5 Gauzed	wrapped		8 Saw cut		11 None (open hole)
• 1 Cc	ontinuous slo	t 3 M	Mill slot	6 Wire wr	apped		9 Drilled holes		
2 Lo	uvered shutt	er 4 K	(ey punched	7 Torch c	ut		10 Other (specify)		
		ED INTERVALS:	· · ·	3.0 ft. to	150	ft., Fro	m	ft. 1	toft.
				ft. to		ft., Fro	m	ft. 1	toft.
(GRAVEL PA	CK INTERVALS	: From	29 ft. to	155	ft., Fro	m	ft. !	toft.
			From	ft. to		ft., Fro	m	ft. 1	to ft.
GROUT	MATERIAL	: 1 Neat	cement	2 Cement grout	3 Bento	nite 4	Other		
Grout Inte	rvals: Froi	m6	.ft. to29	ft., From	ft.	to	ft., From	.	ft. toft.
What is th			contamination:				stock pens		bandoned water well
		4 Late		7 Pit privy		11 Fuel	storage	15 C	Dil well/Gas well
2 Sewer lines		5 Cess pool		8 Sewage lagoo		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit			•	9 Feedvard	13 Insecticide stora		cticide storage	ge	
Direction f	_		- J - I	,		How ma	iny feet?		
FROM	ТО		LITHOLOGIC	LOG	FROM	то		ITHOLOG	GIC LOG
0	15	Top soil	& medium t	o coarse sand					
15	30	Coarse sa	and & clay						
30	45	clay							
45	60		ine to medi	um sand					
60	75			& clay layers					
75	90		ers & fine						
90	105		i & clay la						
105	149			nd (very loose)					
149	160		lue shale						
		,							
							The state of the s		
				And Address of the Control of the Co			T-10/2-11		
	1		DIO OFFICIALI	TONI. This was "	/4\	ated (0) ==			dan mara li mia di attana a a di attana
7 CONTI	RACTOR'S	OH LANDOWNE	H'S CERTIFICAT	ION: This water well was	(1) constru	icted, (2) rec	onstructed, or (3) pla	igged un	der my jurisdiction and was
									nowledge and belief. Kansas
									30, .1986
under the	business na	me of JOE'S	s well Serv	ice, Inc. Cimar	ron, Ks	by (signa	ature) Aug	(M	A)
three cost	HUNS: USE	Department of L	lealth and Environ	ment Division of Environm	<u>r milvi</u> clear lent Environ	ıy. Fiease IIII i mental Geolo	ov Section Tobaka	ii circie th KS 66620	e correct answers. Send top . Send one to WATER WELL
OWNER &	and retain or	ne for your recor	ds.	mont, Division of Environm			g, Goodon, Topeka,		. SOIN ON IO TANIER FFELL