

2012


1 LOCATION OF WATER WELL: County: For OS7 Fraction NE 1/4 SE 1/4 NE 1/4 Section Number 13 Township Number T 27 S Range Number R 24 E/W

Distance and direction from nearest town or city street address of well if located within city?

3 miles East Wilcox

2 WATER WELL OWNER: Max Behce
RR#, St. Address, Box #: RR 3
City, State, ZIP Code: Dodge City, Kansas 67801
Board of Agriculture, Division of Water Resources
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 140 ft. ELEVATION: 10 ft.

Depth(s) Groundwater Encountered 1 10 ft. 2. 10 ft. 3. 10 ft.

WELL'S STATIC WATER LEVEL 10 ft. below land surface measured on mo/day/yr 29/7/83

Pump test data: Well water was 20 gpm: Well water was 140 ft. after 1 hours pumping 20 gpm

Est. Yield 20 gpm: Well water was 140 ft. after 1 hours pumping 20 gpm

Bore Hole Diameter 9" in. to 140 ft., and 140 in. to 140 ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded

Blank casing diameter 5 in. to 110 ft., Dia. 110 in. to 110 ft., Dia. 110 in. to 110 ft.

Casing height above land surface 12 in., weight 250 lbs./ft. Wall thickness or gauge No. 250

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 110 ft. to 140 ft., From 110 ft. to 140 ft., From 110 ft. to 140 ft.

GRAVEL PACK INTERVALS: From 20 ft. to 140 ft., From 20 ft. to 140 ft., From 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft., FROM 20 ft. to 140 ft.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) July 29, 1983 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 111 This Water Well Record was completed on (mo/day/yr) Aug 11, 1983

under the business name of Craig Well Drilling by (signature) Craig

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top

three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL

OWNER and retain one for your records.

RECEIVED

AUG 08 1983

DIVISION OF ENVIRONMENT
OF KANSAS

MTP