

LOCATION OF WATER WELL		Fraction		Section Number		Township Number		Range Number					
County: Ford		NW ¼ NW ¼ NW ¼		27		T 27 S		R 24 E/W					
Distance and direction from nearest town or city? 4 South, 5 East of Dodge City, Kansas					Street address of well if located within city?								
WATER WELL OWNER: Samuel Gary Oil Co.					Board of Agriculture, Division of Water Resources								
RR#, St. Address, Box #: #4 Inverness Court East					Application Number: ----								
City, State, ZIP Code: Englewood, Colorado 80112													
DEPTH OF COMPLETED WELL: 144 ft. Bore Hole Diameter: 7 7/8 in. to 144 ft. and 144 in. to 144 ft.													
Well Water to be used as:					5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot XXX Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well								
Well's static water level: 75 ft. below land surface measured on March month 2 day 1981 year													
Pump Test Data: Well water was 75 gpm: Well water was 75 gpm: hours pumping 2 hours pumping 2 gpm													
TYPE OF BLANK CASING USED:					Casing Joints: Glued XX Clamped XX								
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile XXX PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded													
Blank casing dia: 5 in. to 104 ft. Dia: 104 in. to 104 ft. Dia: 104 in. to 104 ft.													
Casing height above land surface: 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265													
TYPE OF SCREEN OR PERFORATION MATERIAL:					XXX PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
Screen or Perforation Openings Are:					5 Gauzed wrapped XXXX Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
Screen-Perforation Dia: 5 in. to 144 ft. Dia: 144 in. to 144 ft. Dia: 144 in. to 144 ft.													
Screen-Perforated Intervals: From 104 ft. to 144 ft. From 144 ft. to 144 ft. From 144 ft. to 144 ft.													
Gravel Pack Intervals: From 14 ft. to 144 ft. From 144 ft. to 144 ft. From 144 ft. to 144 ft.													
GROUT MATERIAL: XXX Neat cement 2 Cement grout 3 Bentonite 4 Other													
Grouted Intervals: From 4 ft. to 14 ft. From 14 ft. to 14 ft. From 14 ft. to 14 ft.													
What is the nearest source of possible contamination:					10 Fuel storage 14 Abandoned water well 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage XX5 Oil well 600 ft. deep 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below) 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines XXX No								
Direction from well East How many feet 200 ? Water Well Disinfected? Yes XXX No													
Was a chemical/bacteriological sample submitted to Department? Yes XXX No					If yes, date sample								
was submitted 2 month 2 day 1981 year: Pump Installed? Yes Rental No													
If Yes: Pump Manufacturer's name Aermotor Model No. ? HP ? Volts 220													
Depth of Pump Intake ? ft. Pumps Capacity rated at ? gal./min.													
Type of pump: XX Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other													
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on March month 2 day 1981 year													
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252													
This Water Well Record was completed on March month 5 day 1981 year under the business name of Friesen Windmill & Supply Inc. by (signature) <i>[Signature]</i>													
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM		TO		LITHOLOGIC LOG		FROM		TO		LITHOLOGIC LOG	
		0		1		Topsoil							
		1		9		Clay							
		9		58		Fine Sand & Sandy Clay							
		58		137		Med. to Lar. Sand & Gravel							
		137		149		Rocks							
ELEVATION: Upland													

OFFICE USE ONLY

T

27

R

24

20

SEC.

27

NW ¼ NW ¼ NW ¼ NW ¼