


LOCATION OF WATER WELL: County: 70RD	Fraction: NW 1/4 NW 1/4 NW 1/4	Section Number: 33	Township Number: T 27 S	Range Number: R 24 EW
--	---------------------------------------	---------------------------	--------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

DODGE CITY 4S 3E

WATER WELL OWNER: RR#, St. Address, Box #: City, State, ZIP Code:	JE DAVIS ROUTE 3 DODGE CITY	Board of Agriculture, Division of Water Resources Application Number:
---	--	--

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

DEPTH OF COMPLETED WELL: **185** ft. ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **100** ft. below land surface measured on mo/day/yr **6-21-85**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **10** gpm: Well water was ft. after hours pumping gpmBore Hole Diameter: **7 7/8** in. to **185** ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well **FIVE STOCK**Was a chemical/bacteriological sample submitted to Department? Yes. **No** If yes, mo/day/yr sample was sub-mitted Water Well Disinfected? **Yes** No

TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued **X** Clamped

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded

Blank casing diameter **4** in. to **165** ft., Dia. in. to ft., Dia. in. to ft.Casing height above land surface **12** in., weight lbs./ft. Wall thickness or gauge No. **SDR 21**

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 12 None used (open hole)

SCREEN-PERFORATED INTERVALS: From **165** ft. to **185** ft., From ft. to ft.GRAVEL PACK INTERVALS: From **10** ft. to **185** ft., From ft. to ft.

From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GROUT MATERIAL:

1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From **0** ft. to **10** ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

How many feet? **7**

Direction from well?

FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG

0 10 TOP SOIL & CLAY

10 100 CLAY

100 185 SAND & GRAVEL

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **5-28-85** and this record is true to the best of my knowledge and belief. KansasWater Well Contractor's License No. **217** This Water Well Record was completed on (mo/day/yr) **6-4-85**under the business name of **BRAUDRILLING CO. INC.** by (signature) **W. B. B.**

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.