

LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number		
County: Ford		NE 1/4 NE 1/4 SE 1/4	5	T 27 S	R 24 XSW		
Distance and direction from nearest town or city? 1 mile East of Dodge City			Street address of well if located within city?				
WATER WELL OWNER: MBPXL Corporation			Well No. 5 (TH 5-80)				
RR#, St. Address, Box #: P.O. Box 1066			Board of Agriculture, Division of Water Resources				
City, State, ZIP Code: Dodge City, Kansas 67801			Application Number: 34675				
DEPTH OF COMPLETED WELL: 364 ft. Bore Hole Diameter: 26 in. to ft. and in. to ft.							
Well Water to be used as:							
1 Domestic		3 Feedlot		5 Public water supply			
2 Irrigation		4 Industrial		6 Oil field water supply			
		7 Lawn and garden only		8 Air conditioning			
		10 Observation well		9 Dewatering			
				11 Injection well			
				12 Other (Specify below)			
Well's static water level: 158 ft. below land surface measured on August month 28 day 81 year							
Pump Test Data: Well water was ft. after hours pumping gpm							
Est. Yield gpm: Well water was ft. after hours pumping gpm							
TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)		5 Wrought iron			
2 PVC		4 ABS		6 Asbestos-Cement			
				7 Fiberglass			
				8 Concrete tile			
				9 Other (specify below)			
				Casing Joints: Glued Clamped			
				Welded X			
				Threaded			
Blank casing dia. 16 in. to 229 ft. Dia. in. to ft. Dia. in. to ft.							
Casing height above land surface: 30 in., weight 62.58 lbs./ft. Wall thickness or gauge No. 375							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel		5 Fiberglass			
2 Brass		4 Galvanized steel		6 Concrete tile			
				7 PVC			
				8 RMP (SR)			
				9 ABS			
				10 Asbestos-cement			
				11 Other (specify)			
				12 None used (open hole)			
Screen or Perforation Openings Are:							
1 Continuous slot		3 Mill slot		5 Gauzed wrapped			
2 Louvered shutter		4 Key punched		6 Wire wrapped			
				7 Torch cut			
				8 Saw cut			
				9 Drilled holes			
				10 Other (specify)			
				11 None (open hole)			
Screen-Perforation Dia. 16 in. to 364 ft. Dia. in. to ft. Dia. in. to ft.							
Screen-Perforated Intervals: From 229 ft. to 249 ft. From ft. to ft. From ft. to ft.							
Gravel Pack Intervals: From 218 ft. to 364 ft. From ft. to ft. From ft. to ft.							
GROUT MATERIAL:							
1 Neat cement		2 Cement grout		3 Bentonite			
4 Other							
Grouted Intervals: From 8 ft. to 218 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool		7 Sewage lagoon			
2 Sewer lines		5 Seepage pit		8 Feed yard			
3 Lateral lines		6 Pit privy		9 Livestock pens			
				10 Fuel storage			
				11 Fertilizer storage			
				12 Insecticide storage			
				13 Watertight sewer lines			
				14 Abandoned water well			
				15 Oil well/Gas well			
				16 Other (specify below)			
				Effluent Line			
Direction from well: East How many feet: 100 ? Water Well Disinfected? Yes X No							
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample							
was submitted month day year: Pump Installed? Yes X No							
If Yes: Pump Manufacturer's name: Layne Model No. CRKHC HP 30 Volts 460							
Depth of Pump Intake ft. Pumps Capacity rated at 250 gal. min.							
Type of pump:							
1 Submersible		2 Turbine		3 Jet			
4 Centrifugal		5 Reciprocating		6 Other			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was							
completed on October month 1 day 1981 year							
and this record is true to the best of my knowledge and belief, Kansas Water Well Contractor's License No. 102							
This Water Well Record was completed on October month 9 day 1981 year under the business							
name of Layne Western Co., Inc. by (signature) W. H. Hark							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	1	Top soil			
		1	44	Coarse sand & gravel			
		44	69	Tan clay, gravel streaks			
		69	160	Fine to co. sand, gr. streaks			
		160	190	Yellow-green shale			
		190	195	Tan sandstone			
195	335	Gray shale with sandstone					
335	365	Red shale w/sandstone					
ELEVATION:							
Depth(s) Groundwater Encountered 1.158 ft. 2. ft. 3. ft. 4. ft.						(Use a second sheet if needed)	

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

27

R

24

EW

SEC.

5

1/2 1/4 1/8 1/16