

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: FORD		NE 1/4 NE 1/4 SE 1/4	7	T 27 S	R 24 EW
Distance and direction from nearest town or city street address of well if located within city? 2 miles south of Dodge City					
2 WATER WELL OWNER: Excel Corporation					
RR#, St. Address, Box #: P.O. Box 1060 Hwy 154 East			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: Dodge City, KS 67801			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 75 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 66.73 ft. below land surface measured on mo/day/yr 5/18/98			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 750 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 11 7/8 in. to 22.5 in. and 7 5/8 in. to 75 in.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter 4 in. to 75 ft. Dia				8 Concrete tile	
Casing height above land surface 30 in. weight				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:				CASING JOINTS: Glued Clamped	
1 Steel		3 Stainless steel		7 Welded	
2 Brass		4 Galvanized steel		8 Threaded Flush	
SCREEN OR PERFORATION OPENINGS ARE:		5 Fiberglass		9 Other (specify below)	
1 Continuous slot		6 Concrete tile		10 Asbestos-cement	
2 Louvered shutter		5 Gauzed wrapped		11 Other (specify)	
3 Mill slot		6 Wire wrapped		12 None used (open hole)	
4 Key punched		7 Torch cut		8 Saw cut	
SCREEN-PERFORATED INTERVALS:		8 Drilled holes		11 None (open hole)	
From 73.0 ft. to 53.0 ft.		9 Other (specify)			
GRAVEL PACK INTERVALS:					
From 42.0 ft. to 75.0 ft.					
From ft. to ft.					
From ft. to ft.					
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
Grout Intervals: From 45.0 ft. to 2.0 ft.		4 Other			
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
Direction from well? Varies				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
				Center - private	
				How many feet? 0-2000	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Silty Sand			
1	23	Sand with silt			
23	27	Clayey Sand			
27	31	Silty Sand			
31	35	Clayey Sand			
35	40	Silty Sand			
40	70	Sand - some silt			
70	82	Sandy Clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/18/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 570 This Water Well Record was completed on (mo/day/yr) 5/26/98 under the business name of AQUADRILL, INC. by (signature) <i>Jeffrey L. Jarm</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answer. Send two copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4