WATE	R WE	LL RECORD	Form W	WC-5	Divi	ision of Water	r Resources App. N	20120207	
1 LOC	CATION	OF WATER WELL:	Fraction		Section	n Number	Township No.	Range Number	
County: Ford			SW 1/4 NW 1/4 SW		****	24	T 27 S	R 24 DE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:			
The state of the s						Longitude: (in decimal degrees)			
2 1/2 North, 7 1/2 West of Ford						Elevation:			
2 WATER WELL OWNER: Vincent Oil Corp.						Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 155 N. Market. Ste 700						GPS unit (Make/Model:)			
City	, State, Z	ZIP Code : Wichita,	Ks. 67202			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL						curacy: [] <	3 m, [_] 3-5 m, [_] 5-15 m,	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 185 ft.									
SEC	Depth(s) Groundwater Encountered (1)								
	WELL S STATIC WATER LEVEL								
Pump test data: Well water was									
W NW NE EST. YIELD JWAgpm. Well water was									
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Irrigation									
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted								
	water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: V Glued Clamped Welded Threaded									
Casing diameter 5 in to 185 ft., Diameter in to ft., Diameter in to ft.									
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft. From ft. to ft									
GRAVEL PACK INTERVALS: From. ft. to 20 ft., From ft. to ft. to From. ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.									
		est source of possible conta					et a		
						☐ Insecticide☐ Abandoned		ner (specify below)	
	Watertig	ht sewer lines	it Feedyard	Fertilizer s		Oil well/ga	A 1	e	
Direc	ction from	m well							
FROM 0	TO 4	LITHOLOG	IC LOG	FROM	ТО	LITHO. LC	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
4	43	Top soil Tan clav							
43	89	Sand & gravel- med to	large						
89	175	Sand & gravel- small to				***************************************	***************************************		
		clay streaks							
175	185	Dark gray shale							

		Malla A contact of the office of the original and the ori				Perlamon			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year). 4/16/12 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 5/2/12									
under the business name of Rosencrantz- Bemis by (signature) by (signature) in STRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									