•		•		_			20120485	
		LL RECORD	Form WWC-	5		r Resources App. No		
		OF WATER WELL:	Fraction	·- ·/	Section Number	Township No.	Range Number	
	ty: Ford		SE 1/4 NW 1/4 SE 1/4 S		25	T 27 S	R 24 □E ☑W	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:		
						Longitude: (in decimal degrees)		
2 1/4 South of Wilroads, Ks					Elevation: (in desirate degrees)			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Vincent Oil Corp					Collection Method:			
RR#, Street Address, Box #: 155 N. Market. Ste 700					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Wichita, Ks. 67202					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL								
	H AN "X	'IN 4 DEPTH OF	COMPLETED WELL .15					
SECT	TION BO	BOX: Depth(s) Groundwater Encountered (1)						
	N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
		Pump test data: Well water was						
, ,	EST. YIELD. N/Agpm. Well water was							
W	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	Downstin Dradie Floit field mater manh. Downstains Dother (Specific below)							
SV	SW -SE							
	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
mile Water well disinfected? ✓ Yes ☐ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .5 in. to .155 ft., Diameter in. to								
Casin	g height	above land surface!!	in., Weight SU!	₹-2 6	lbs./ft., Wall thic	kness or gauge No	0	
		EEN OR PERFORATION	MATERIAL:		Od (515-)			
_ =	Steel	Stainless Steel		Ш	Other (Specify)		•••••	
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 155 ft. to 115 ft., From ft. to ft.								
From							to ft.	
GRAVEL PACK INTERVALS: From 155 ft. to 20 ft., From ft. to								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
	Sewer lin	tes	Sewage lagoon Fue	el storage tilizer sto				
. —		n well	_ · _		rom well		• • • • • • • • • • • • • • • • • • • •	
FROM	TO	LITHOLOG		OM			GGING INTERVALS	
0	4	Top soil						
4	67	Tan clay						
67	153	Sand & gravel- med to	large					
153	155	Tan clay						
				-				
				-		<u> </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7.5.12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) .8/8/12								
under the business name of Rosencrantz-Bernis by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar treent of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
White, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								