WAIER WELL REC		rorm v	V VV C-3			r Resources App. N		
1 LOCATION OF WA' County: Ford		Fraction SW 1/4 SW 1/4 S(U 1/2 S149		tion Number こと		Range Number R Z4 DE DW	
Street/Rural Address of Well Location; if unknown, distance & directi			& direction		Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .37.39.846(in decimal degrees)			
11737 114 Rd, Dodge City					Longitude: 99 57.582 (in decimal degrees)			
				Elev	Elevation: 2546			
2 WATER WELL OWNER: Douglas Melia					Datum: WGS 84, NAD 83, NAD 27			
				Coll	Collection Method:			
RR#, Street Address, Box #: City, State, ZIP Code : Dodgo City, KS 67801					GPS unit (Make/Model: Garmin GPSmap60			
Bodge City, NS 07001					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
WITH AN "X" IN								
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
WELL'S STATIC WATER LEVEL								
Pump test data: Well water was. 130 ft. after. 1 hours pumping. 30 gpm EST. YIELD. 50 gpm. Well water was. ft. after. hours pumping. gpm								
EST. YIELD. 50						nours pum	ipinggpm	
W E Bore Hole Diameter 8 3/4 in. to .200 ft., and in. to ft.								
WELL WATER TO BE USED AS:								
SWSE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Wes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in to 160 ft Diameter in to ft Diameter in to								
Casing diameter .5								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORAT								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 160 ft. to . 200 ft., From ft. to . ft.								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .4								
What is the hearest source of possible contamination: Septic tank								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well .W.	est	*******************	. Distance	from w	ell15	*****************		
FROM TO	LITHOLOGI	C LOG	FROM	TO	LITHO. LO	G (cont.) or PLU	GGING INTERVALS	
0 5 topsoil								
5 95 brown cl	ay							
95 160 sand and								
160 165 brown c								
165 185 sand and								
***************************************	brown clay					-		
	sand and gravel					-		
199 200 red clay								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .8/3/2010 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 101								
under the business name of Bartel Well Drilling, Inc. by (signature) Realism & Boartel								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
1 elephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at 1								
http://www.kdheks.gov/waterwell/index.html.								
SSA 82a-1212 Check: White Copy, ☐ Blue Copy, ☐ Pink Copy								