WATER WELL		Form V				sion of Wate	•			
Original Record						irces App. N		Well ID		
1 LOCATION OF WATER WELL: Fraction County: FORD NW 4 SE 4 S				1/4 SE 1/4	SE 1/4 Section Number Township Number Range Number T 27 S R 24 D E W					
2 WELL OWNER: Last Name: HERNANDE First: JOSE Street or Rural Address where well is located (if unknown, distance and										
Business: di						tirection from nearest town or intersection): If at owner's address, check here:				
Address: 1302 B AVE Address:					AT CORNER OF PRIMROSE & RD 112					
City: DODGE	ZIP: 67801	/ 00.								
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL 180 A C. L. C. L.										
WITH "X" IN		Depth(s) Groundwater Encountered: 1)								
SECTION BOX:	2) ft. 3) ft., or 4) [Dry Well Horizontal Datum: WGS 84 NAD 83 NA					
	WELL'S STATIC WATER LEVEL:					Source for Dathtade Bollghade.				
NW NE	below land surface, measured on (mo-data) below land surface, measured on (mo-data) above land surface, measured on (mo-data)					$\Box G$)		
I I I	Pump test data: Well water was					ΠL	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W	after	after hours pumping						······································		
SW SE	after	Well water washours pumping								
	Estimated Y	дри	6 Elevation:			t. Ground Level TOC				
S	Bore Hole Diameter:9.7/8 in. to									
1 mile in. to										
1. Domestic: 5. Public Water Supply: well ID										
Household	■ Household 6. □ Dewatering: how many wells?					11. Test Hole: well ID				
Lawn & Garden										
Livestock 2. Irrigation	Monitoring: well ID Environmental Remediation: well ID									
3. Feedlot						b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial ☐ Recovery ☐ Injection										
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 5 in. to 140 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in. Weight lbs./ft. Wall thickness or gauge No. SDR 21										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From140 ft. to ft., From ft. to ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From										
Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well										
□ Watertight Sewer Lines □ Seepage Pit □ Feedvard □ Fertilizer Storage □ Oil Well/Gas Well										
☐ Other (Specify) Direction from well? .WEST Distance from well? .1000 ft.										
10 FROM TO	(EST	ITHOLOG	Distance from			то	ft	PLUCODIC DITERVALO		
0 4	TOP SOIL	11101.00	iic LUG	FRO	VI.	TO	LITHU. LUG (cont.) o	r PLUGGING INTERVALS		
4 35	BROWN CLA	λY		_	_					
35 85	SANDY CLA	ANDY CLAY & FINE SAND						, the text		
85 138	MED TO CO.	MED TO COARSE SAND								
138 145		WHITE CLAY & COARSE SAND								
145 156 156 165	WHITE CLAY				 :					
165 170		FINE TO MED SAND W/CLAY STRKS FAN & GRAY CLAY								
170 187 BLACK CLAY & SANDSTONE LAYERS										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) .6/4/19										
under the business nar	ne of SOUTH	WEST W	INDMILL & WAT	Raier Well	Keco Sign	ra was con nature	inpresed on (my-day)	ear) .0/.1.4/.1.1		
Mail 1 white copy a	long with a fee of	\$5.00 for <u>eacl</u>	constructed well to: I	Kansas Depart	ment o	of Health and	Environment, Bureau of W	/ater, GWTS Section,		
							ne for your records. Telep			
Visit us at http://www.kdhe	ks.gov/waterwell/ir	ndex.html		KSA 82	<u>a-121</u>	4		Revised 7/10/2015		