

Ford

34-T27-24W

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1486498

Lithology

0	16	TOP SOIL, BROWN CLAY, FINE SAND
16	90	FINE SAND WITH TAN CLAY
90	120	FINE COARSE SAND WITH TAN CLAY STREAKS
120	133	FINE COARSE SAND WITH SMALL MEDIUM GRAVEL STREAKS
133	140	FINE COARSE SAND WITH TAN CLAY
140	180	FINE COARSE SAND WITH TAN CLAY & CALICHE STREAKS
180	196	FINE COARSE SAND
196	223	TAN CLAY CALICHE FINE MEDIUM SAND
223	232	FINE MEDIUM SAND WITH TAN YELLOW, BROWN CLAY STREAKS
232	240	FINE MEDIUM SAND WITH YELLOW CLAY STREAKS
240	260	FINE COARSE SAND
260	283	FINE COARSE SAND WITH SMALL MEDIUM GRAVEL STREAKS
283	285	ROCK LAYER
285	293	FINE COARSE SAND WITH SMALL GRAVEL STREAKS

Ford

34 - 1 21 - 24W

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1486498

Lithology

Lithology		
293	306	TAN BROWN CLAY WITH FINE SAND AND ROCK STREAKS TIGHT
306	332	FINE MEDIUM SAND WITH TAN CLAY STREAKS
332	336	TAN YELLOW WHITE GRAY BLUE CLAY WITH THIN FINE SAND STREAKS
336	339	YELLOW STICKY CLAY
339	350	TAN CLAY FINE SAND
350	360	TAN GRAY BLUE CLAY