

1 LOCATION OF WATER WELL: COUNTY: FORD		Fraction SE 1/4 NE 1/4 SE 1/4	Section Number 2	Township Number S 27	Range Number R 25 E															
Distance and direction from nearest town or city street address of well if located within city? FROM DODGE CITY, KS. - JCT. 283 & HIGHWAY 56, 1/4 NORTH																				
2 WATER WELL OWNER: RE#, St. Address, Box #: 103 W. MCARTOR City, State, ZIP code : DODGE CITY, KS 67801-		HI-PLAINS FARM EQUIPMENT Board of Agriculture, Division of Water Resources Application Number:																		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 195 ELEVATION: 0 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.																		
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%; text-align: center;">1</td> <td style="width:10%; text-align: center;">NW</td> <td style="width:10%; text-align: center;">NE</td> <td style="width:10%;"></td> <td style="width:10%;"></td> <td style="width:10%;"></td> <td style="width:10%;"></td> <td style="width:10%;"></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">W</td> <td style="text-align: center;">E</td> <td style="text-align: center;">SW</td> <td style="text-align: center;">SE</td> <td style="text-align: center;">X</td> <td style="text-align: center;">1</td> </tr> </table>		1	NW	NE						2	W	E	SW	SE	X	1	WELL'S STATIC WATER LEVEL 60 ft. below land surface measured on mo/day/yr 02/09/95 Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm Estimated Yield 60 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm Bore Hole Diameter 9 in. to 195 ft., and in. to 0 ft. WELL WATER TO BE USED AS: DOMESTIC			
		1	NW	NE																
		2	W	E	SW	SE	X	1												
		Was a chemical/bacteriological sample submitted to department? No ; If yes, mo/day/yr sample was submitted Water well disinfected? Yes																		
5 TYPE OF BLANK CASING USED: PVC Blank casing diameter 5 in. to 195 ft., Dia in. to 0 ft., Dia in. to 0 ft. Casing height above land surface 12 in., weight 200 lbs/ft. Wall thickness or gauge No. 21 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: SAW CUT		CASING JOINTS: GLUED																		
SCREEN PERFORATED INTERVALS:		From 170 ft. to 190 ft., From 0 ft. to 0 ft.																		
GRAVEL PACK INTERVALS:		From 0 ft. to 0 ft., From 0 ft. to 0 ft. From 40 ft. to 195 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft.																		
6 GROUT MATERIAL BENTONITE Grout Intervals: From 4 ft. to 40 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: NONE - NEW SITE Direction from well? How many feet? 0																				
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS														
0	40	TOPSOIL SAND GRAVEL																		
40	100	YELLOW CLAY BROWN CLAY																		
100	160	CLAY SAND LAYER(S)																		
160	190	SAND GRAVEL																		
190	200	YELLOW CLAY BLUE SHALE																		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 05/03/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 05/16/95 under the business name of JOE'S WELL SERVICE, INC. by (signature) <i>Jack Crut</i>																				