		WATER	R WELL RECORD	Form WWC-5	KSA 82a			
· / 1.	WATER WELL:	Fraction			tion Number			Range Number
County: For		NN 1/4	NW 1/4 N	<u> </u>	14	T 27	S	R 25 ₩W/
	rection from nearest tow	vn or city street ac	Idress of well if located to the second of t	ed within city? く。 アルルル	21-	1 42 1 20	, .	12
	# 283 at U	odge (179	1 30411 1	o CYTRA	WXU	y rest do	204	<u> </u>
RR#, St. Addre	SEE BOY #	nell Mead	4 28 C			Board of Agr	iculture D	vision of Water Resources
City, State, ZIP	Code : 00 da	e City, ks.	67801			Application N		
LOCATE WE AN "X" IN SI	LL'S LOCATION WITH	4 DEPTH OF CO	OMPLETED WELL.	140'	ft. ELEVA	ATION:	ft 3	
N	W NE   	WELL'S STATIC Pump Est. Yield Bore Hole Diame WELL WATER To Domestic 2 Irrigation	test data: Well wat gpm: Well wat ter. / in. to D BE USED AS: 3 Feedlot 4 Industrial	ter was	elow land su	rface measured on nafter  ufter  and  8 Air conditioning 9 Dewatering 10 Monitoring well	no/day/yr hours pun hours pun in. 11 li 12 C	aping gpm aping gpm to ft. anjection well bther (Specify below)
		Was a chemical/b	acteriological sample	submitted to De		esNo		mo/day/yr sample was sub- No
TYPE OF BL	ANK CASING USED:	Tillitou	5 Wrought iron	8 Concre		CASING JOIN	TS: Glued	Clamped
1 Steel	3 RMP (SF	R)	6 Asbestos-Cement		(specify belo			d
(2 PVC)	4 ABS		7 Fiberglass				Thread	ded
Blank casing dia	ameter	.in. to <b>6</b>	ft., Dia	in. to		ft., Dia	ii	n. to
Casing height a	above land surface	<i>!</i>	in., weight	200	Ibs.	ft. Wall thickness or	gauge No	
TYPE OF SCRI	EEN OR PERFORATION	N MATERIAL:		F PV	>	10 Asbes	stos-cemer	nt
1 Steel	3 Stainless	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other	(specify)	
2 Brass	4 Galvaniz	ed steel	6 Concrete tile	9 AB	S	12 None	used (ope	n hole)
SCREEN OR P	ERFORATION OPENIN	GS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Continu	ous slot 3 M	lill slot	6 Wire	wrapped		9 Drilled holes		
2 Louvere	ed shutter 4 Ke	ey punched	7 Toro					
SCREEN-PERF	ORATED INTERVALS:	From 6.4	? ft. to .	140	ft., Fro	m	ft. to	
GRAV	EL PACK INTERVALS:	From	ft. to .		ft., Fro	m	ft. to	
GHAV	EL FAOR INTERVALS.	From	ft. to					ft.
GROUT MA	TERIAL: 1 Neat of		2 Cement grout					
Grout Intervals:								. ft. to
	arest source of possible					stock pens		andoned water well
1 Septic t		al lines	7 Pit privy			storage		
2 Sewer I			8 Sewage lag	noon		lizer storage		ner (specify below)
	ght sewer lines 6 Seep	•	9 Feedyard	90011		cticide storage .	10 01	ioi (opoon) boion)
Direction from v	•	age pit	3 T codyard			iny feet? 150	)	
	- 1	LITHOLOGIC I	_OG	FROM	TO			TERVALS
0 .	3 For soi	It & bine s						
3' 6	o brown si	It & fine s	and					
60 8	5 lource s	cand						
	39 large sa	nd & arau	. /					,
139 14	18 Miche	7,40						
· / / /								
			TECHNIA.		· · · · · · · · · · · · · · · · · · ·			
<del>-</del>								
				·				
				<del></del>	<u> </u>			
CONTRACT	OR'S OR LANDOWNER	~ /		, , , , , , , , , , , , , , , , , , , ,				er my jurisdiction and was
	mo/day/year) 4ーフ:						of my kno	wledge and belief. Kansas
	tractor's License No.		This Water	Well Record wa	•	on (morgay, yr)	7-9	y
	ess name of Jim's					iture) finnie		Lewman
INSTRUCTION	S: Use typewriter or ball point	pen. PLEASE PRESS FI	RMLY and PRINT clearly. P	Please fill in blanks,	underline or circl	e the correct answers. Sen	d top three c	opies to Kansas Department .
of Health and	Environment, Bureau of Water,	Topeka, Kansas 66620	0-0001. Telephone: 913-296	-5545. Send one to	WATER WELL O	WHER and retain one for	your records.	