

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: FORD		SE 1/4 SE 1/4 NW 1/4	1	T 27 S	R 25 E/W
Distance and direction from nearest town or city street address of well if located within city? 1/2 EAST Dodge - Wilbush Standens Road					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : RR 3		Application Number:			
City, State, ZIP Code : Dodge City, Ks 67801					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 150 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 67 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 67 ft. below land surface measured on mo/day/yr 10/3/83			
		Pump test data: Well water was N/A ft. after hours pumping gpm			
		Est. Yield 20 gpm; Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 9 in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		<input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well <input type="checkbox"/> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 12 Other (Specify below)			
		Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped			
1 Steel 3 RMP (SR)		Welded			
<input checked="" type="radio"/> PVC 4 ABS		Threaded			
Blank casing diameter 5 in. to ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface 14 in., weight 250 lbs./ft. Wall thickness or gauge No. 250					
TYPE OF SCREEN OR PERFORATION MATERIAL:		10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped <input checked="" type="radio"/> Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 150 ft. to 130 ft., From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 150 ft. to 20 ft., From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL:		4 Other			
1 Neat cement 2 Cement grout <input checked="" type="radio"/> Bentonite					
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank <input checked="" type="radio"/> Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? 100		How many feet? South			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	1	Topsoil			
1	30	SAND			
30	67	clay			
67	150	Gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/3/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 11A This Water Well Record was completed on (mo/day/yr) 10/3/83 under the business name of Coyne Pump by (signature) Randy					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					