


1 LOCATION OF WATER WELL: County: <u>Ford</u>	Fraction <u>NW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	Section Number <u>2</u>	Township Number T <u>27</u> S	Range Number R <u>25</u> EW
--	---	----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Behind Shop - 407 W. McArthur

2 WATER WELL OWNER: <u>Harry Jantz</u> RR#, St. Address, Box # : <u>407 W. McArthur</u> City, State, ZIP Code : <u>Dodge City, Kansas 67801</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>175</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>37</u> ft. below land surface measured on mo/day/yr <u>5-2-89</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>125</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: <u>10</u> in. to <u>175</u> ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No. <u>XX</u> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>XX</u> No
--	---

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS	5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass	CASING JOINTS: Glued <u>XX</u> Clamped Welded Threaded.
Blank casing diameter <u>6</u> in. to <u>175</u> ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface <u>12</u> in., weight <u>SDR 21</u> lbs./ft. Wall thickness or gauge No. <u>200</u> psi.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From <u>150</u> ft. to <u>175</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.		
GRAVEL PACK INTERVALS: From <u>40</u> ft. to <u>175</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.		

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug Grout Intervals: From <u>0</u> ft. to <u>40</u> ft., From <u>40</u> ft. to ft., From ft. to ft.	
What is the nearest source of possible contamination: none 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage <u>NONE NA</u>	

Direction from well?		How many feet?	
FROM	TO	LITHOLOGIC LOG	PLUGGING INTERVALS
0	20	Top soil, clay & fine to medium sand	
20	40	Medium to coarse sand, rock layers & clay	
40	60	Clay & fine sand in layers	
60	80	Fine sand	
80	100	Fine to medium sand (very loose)	
100	120	Fine to medium sand w/some coarse sand *very loose*	
120	175	Medium to coarse sand (very loose)	
175	195	Clay, rock layers & blue shale	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-28-89</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>179</u> This Water Well Record was completed on (mo/day/yr) <u>7-17-89</u> under the business name of <u>Joe's Well Service, Inc. Cimarron, Ks.</u> by (signature) <u>Quaid Crist</u>
