


USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction NE 1/4 NE 1/4 NW 1/4	Section number #4	Township number T #28	Range number S R #25	XW
2. Distance and direction from nearest town or city: 1 1/2 west of Dodge City on Beeson Road Street address of well location if in city:				3. Owner of well: Tim Powers R.R. or street: R.R. City, state, zip code: Dodge City, Kansas 67801			
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: 				6. Bore hole dia. 8 in. Completion date Well depth 170 ft. 10-20-76			
5. Type and color of material				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Top soil, clay & coarse sand				9. Casing: Material RMP Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP xx PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 5 in. to 170 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 250			
				10. Screen: Manufacturer's name Sunflower Type RMP Dia. 5" Slot 1/8" Length 20 ft. Set between 150 ft. and 170 ft. ft. and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 4"			
Coarse sand & clay				11. Static water level: <input type="checkbox"/> mo./day/yr. 20 ft. below land surface Date 10-20-76			
Clay & medium sand				12. Pumping level below land surfaces: 25 ft. after 1 hrs. pumping 50 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 90 g.p.m.			
Fine to medium sand & clay layers				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>			
Clay & coarse sand				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade			
Coarse sand				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 15 ft. to 30 ft.			
Coarse sand				16. Nearest source of possible contamination: ft. 75 Direction West Type Sewer Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Clay & blue shale				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name FLint & Walling Model number 10BK9 HP 1 Volts 230 Length of drop pipe 105 ft. capacity 19 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
(Use a second sheet if needed)							
18. Elevation:		19. Remarks: New building site		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Joe's Well Service 179 Business name License No. Address Box 174 Cimarron, Ks. Signed Larry Crick Date 11-20-76 Authorized representative			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley							

82 25W 4 NE NE NW
1/4 1/4 1/4 1/4