WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

					T					
1. Location of well:	County				Section number		Township number Range number			
Localion of well:	Ford	1/4	Centerw 1/4 SW	1/4	7		T 27 S R 25 EW			
					ner of well	:]	Nick Mayrath			
3½W on Hwy, 56 of Dodge City Street address of well location if in city:					street:		1716 4th Ave.			
4 1		C1 . 1		City, s	tate, zip o	ode:	Dodge City, KS 67801			
4. Locate with "X"	in section below:	Sketch map:					6. Bore hole dia 28 in. Completion date Well depth 45 ft. 3-7-77			
1 [1						7 Cable tool Rotary Driven Dug			
NW	NE						Hollow rod Jetted Bored X_ Reverse rotary			
. w					8. Use: X Domestic Public supply Industry					
E SF E							Lawn Oil field water Other 9. Casing: Materia Steel Height: Above or below			
<u> </u>							Threaded Welded _XiSurfacein.			
,	S Aile 						RMPPVCWeightlbs./ft.			
5. Type and color of					From	То	Dia. 16 in. to 0 ft. depth Wall Thickness: inches or Dia. 16 in. to 95 ft. depth gage No. 188			
					-		10. Screen: Manufacturer's name			
Sur	rface				0	2	Type steel Dig. 16"			
02							Slot/gauze 17% 188 Length 40 100			
Clay					2	16	Set betweenft. andft			
Fine Sand & Clay Streaks					16	48	Gravel pack? X Size range of material 1/4 to 5/			
$\mathtt{c}_{\mathtt{lay}}$				48	64	11. Static water level: mo./day/yr.				
Medium Sand					64	72	95 ft. below land surface Date 3-7-77			
Ned Lum Sand					- 07	12	12. Pumping level below land surfaces: 105 ft. after 2 hrs. pumping 800 g.p.m.			
Clay					72	75	ft. after hrs. pumping g.p.m.			
Medium Sand					75	80	Estimated maximum yieldg.p.m.			
W	3: G 10G -		White A	-			Yes X No Date			
	lium Sand & Gravel				80	99	14. Well head completion: Pitless adapter			
Thin Clay Layer					99	100	15. Well grouted? X			
Medium Sand & Gravel					100	125	With: Neat cement A Bentonite Concrete			
Sand & Gravel					+	(Depth: From ft. to ft.			
Danu & Graver					125	136	ft Direction Typenone			
Cla	ay				136	137	Well disinfected upon completion? Yes X No			
Medium Sand					137	147	17. Pump: Manufacturer's name Simmons			
					1)/	17/	Model numberSp_12 HP80 Volts			
Clay					147	150	Length of drop pipe 180 ft. capacity 700g.p.m.			
Medium Fine Sand					150	154	Type:			
Clay & Sand Stage & Sond sheet if needed)							Jet Reciprocating			
					154	156	Centrifugal Other			
18. Elevation:	19. Remarks;	(con	tinued)				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report			
							is true to the best of my knowledge and belief.			
Topography: Hill							Woofter Drilling, Inc. 343 Business name License No.			
Slope							Business name Address Hwy 56 Dodge Oity KS			
X Upland							Signed That Wash Date 15			
Valley	i						Authorized representative			

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Page 2-Nick Mayrath

Kansas Department of Health and
Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction			Section number		Township number	Range number			
1. Location of well:		1/4	1/4	1/4			T S	R E/	w I		
2. Distance and direction from nearest town or city:					3. Owner of well: R.R. or street:						
Street address of wel	City, state, zip code:										
4. Locate with "X" in section below: Sketch map:							6. Bore hole dia in. Completion date Well depth ft				
NW NE							7Cable toolRotaryDrivenDugHollow rodJettedBoredReverse rotary 8. Use:DomesticPublic supplyIndustry				
E							Irrigation Air conditioning Stock Lawn Oil field water Other				
3W 5E							9. Casing: Material Threaded Welded		in.		
9							RMP PVC	lWeightlbs.,	/ft.		
5. Type and color of material					From	То	Dia in. to ft. dep Dia in. to ft. dep	th gage No.	_		
(7)	Colinha & Fare C	Q	o Teo		7.56	160	10. Screen: Manufacturer's r	name			
	ay, Caliche & Few S	and Stre	aks		156	167	Type Slot/gauze				
Medium Fine Sand Sandy Clay					167 177	177 189	Set betweenft. c	ft. and	ft.		
					1//		Gravel pack? Size ra	nge of material			
Cemented Sand & Caliche Layers					189	198	11. Static water level:ft. below land sur	mo./day/ face Date	yr.		
Ochre					198	202	12. Pumping level below land		_		
Sha	Shale				202	210	ft. after !	nrs. pumpingg.p.	m.		
							Estimated maximum yield				
								Date	_		
		***		-			14. Well head completion: Pitless adapter	Inches above grade			
							15. Well grouted? With: Neat cement Depth: From ft. to	Bentonite Concre	ete		
4704444 - + 1							16. Nearest source of possible	e contamination:			
		-	******				ft Direction Well disinfected upon comple		No		
AND THE RESERVE TO TH		7.0					17. Pump: Manufacturer's name	Not installed			
Barto Major		-					Model number	HP Volts	_		
readone or the refraction of the con-	. Section .		,		-		Length of drop pipe ———— Type:		m.		
rabilitate elapage trace diseast an establishe	and the state of t	* · · · · · · · · · · · · · · · · · · ·		* <u> </u>			Submersible Jet	Turbine Reciprocating			
	(Use a second s	heet if needed)		Maria . sani	18 B		Centrifugal	Other			
18. Elevation:	19. Remarks:						20. Water well contractor's of This well was drilled under m		,		
Topography:							is true to the best of my know Woofter Drilli				
Hill							Business name	License No Dodge City			
Slope Upland							Address Signed	Portox Date	5/		
Valley							Authorized rep	resentq ve	/ /		