


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Ford	Fraction Center 1/4 NW 1/4	Section number 7	Township number T 27 S	Range number R 25 EW
2. Distance and direction from nearest town or city: 3 1/2 W on 56 from Dodge City Street address of well location if in city:			3. Owner of well: Nick Mayrath R.R. or street: 1716 4th Ave. City, state, zip code: Dodge City, KS 67801		
4. Locate with "X" in section below: N 1 Mile W E S 1 Mile			Sketch map: 		
5. Type and color of material			From	To	6. Bore hole dia. 28 in. Completion date 3-7-77 Well depth 198 ft.
Surface			0	2	7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Reverse rotary <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/>
Fine Sand & Couple Clay Streaks			2	42	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Clay			42	44	9. Casing: Material steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 16 in. to 0 ft. depth Wall Thickness: inches or Dia. 16 in. to 98 ft. depth gage No. 188
Fine Sand			44	62	10. Screen: Manufacturer's name W. A. Brown Type Bridge Dia. 16 Slot/gauze .188 10 Length 100 Set between 98 ft. and 198 ft. ft. and 198 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 to 5/8
Clay			62	76	11. Static water level: 87 ft. below land surface Date 3-9-77 mo./day/yr.
Medium Sand			76	82	12. Pumping level below land surfaces: 105 ft. after 2 hrs. pumping 880 g.p.m. 190 ft. after 2 hrs. pumping 1200 g.p.m. Estimated maximum yield 1200 g.p.m.
Clay			82	84	13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 3-9-77 mo./day/yr.
Medium Sand & Gravel			84	151	14. Well head completion: 12 inches above grade <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/>
Fine-Med. Sand			151	162	15. Well grouted? Yes <input checked="" type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Depth: From 0 ft. to 10 ft.
Caliche			162	163	16. Nearest source of possible contamination: ft. 0 Direction none Type none Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Fine Sand			163	166	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Woofter Drilling, Inc. Model number 343 HP 3 Volts 115 Length of drop pipe 96 ft. capacity 1200 g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
Clay			166	185	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Woofter Drilling, Inc. 343 Business name Woofter Drilling, Inc. License No. 961 Address Hwy 56 Dodge City, KS Signed Michael A. Woofter Date 3/6/77 Authorized representative
Medium Sand			185	192	
Clay			192	205	
Shale			205	210	
(Use a second sheet if needed)					
18. Elevation:		19. Remarks:			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					