

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction SE₁/₄ SE 1/₄ NW₁/₄	Section number 9	Township number T 27 S R 25 E/W	Range number
2. Distance and direction from nearest town or city: 1/2 W and 1 South of Dodge City, Kansas			3. Owner of well: Ralph Buschell R.R. or street: 614 W Trail City, state, zip code: Dodge City, Kansas 67801			
4. Locate with "X" in section below: <div style="display: flex; align-items: center;"><div style="text-align: center; margin-right: 10px;">N 1 Mile W 1 Mile S 1 Mile E</div><div style="text-align: center;"><p>Lot #3, Block 4, Prairie West Addition</p></div></div>			Sketch map:			
5. Type and color of material			From	To	6. Bore hole dia. 9 7/8 in. Completion date 3/28/79 Well depth 163 ft.	
Top Soil			0	7	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Sandy Clay			7	30	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Med. to Lar. Sand Gravel			30	160	9. Casing: Material PVC Weight: 2.8 lbs./ft. Threading: <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP: <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 2.8 lbs./ft. Dia. 5 in. to 163 ft. depth 163 ft. Thickness: inches or Dia. in. to ft. depth 163 ft. gage No. 265	
Shale			160	168	10. Screen: Manufacturer's name Pumpco Type PVC Dia. 5" Slot/gauze fine Length 40' Set between 123 ft. and 163 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material #1 fine	
					11. Static water level: 80 ft. below land surface Date 3/10/79	
					12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping 20-30 g.p.m. Estimated maximum yield g.p.m.	
					13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
					14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter _____ Inches above grade	
					15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.	
					16. Nearest source of possible contamination: none ft. _____ Direction _____ Type _____ Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
					17. Pump: _____ Not installed Manufacturer's name Aermotor Model number SD19 HP 1 Volts 220 Length of drop pipe 120 ft. capacity 20 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name _____ License No. _____ Address Moade, Kansas 67864 Signed [Signature] Date 4/6/79 Authorized representative	
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						

27-250-9 SESENU
T
R
Sec
1/4 1/4 1/4