

1 LOCATION OF WATER WELL:		WATER WELL RECORD Form WWC-5 KSA 82a-1212		Section Number		Township Number		Range Number	
County: FORD		Fraction SE 1/4 SE 1/4 NW 1/4		9		T 27 S		R 25	
Distance and direction from nearest town or city street address of well if located within city?									
1 1/2 Southwest of Dodge City on Hwy 56 and 1/2 South.									
2 WATER WELL OWNER:		Mr. Russell Oestereich							
RR#, St. Address, Box # :		Jetmore, KS 67854							
City, State, ZIP Code :		Board of Agriculture, Division of Water Resources							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		Application Number: ---							
N		4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION: Slope							
W		Depth(s) Groundwater Encountered 101 Not available 2 ft. 3 ft.							
E		WELL'S STATIC WATER LEVEL: 87 ft. below land surface measured on mo/day/yr March 13, 1990							
S		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield: 20 gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter: 10 in. to 160 ft. and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No XX If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes XX No							
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued XX Clamped							
1 Steel		5 Wrought iron							
XX PVC		6 Asbestos-Cement							
3 RMP (SR)		9 Other (specify below)							
4 ABS		Welded							
5 Fiberglass		Threaded							
Blank casing diameter 5 in. to 140 ft. Dia		in. to ft. Dia in. to ft.							
Casing height above land surface 12 in. weight 2.8 lbs./ft. Wall thickness or gauge No. 265									
TYPE OF SCREEN OR PERFORATION MATERIAL:		XXX PVC 10 Asbestos-cement							
1 Steel		3 Stainless steel							
2 Brass		4 Galvanized steel							
3 Fiberglass		6 Concrete tile							
8 RMP (SR)		11 Other (specify)							
9 ABS		12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped XX Saw cut 11 None (open hole)							
1 Continuous slot		6 Wire wrapped 9 Drilled holes							
3 Mill slot		10 Other (specify)							
2 Louvered shutter		4 Key punched							
SCREEN-PERFORATED INTERVALS:		From 140 ft. to 160 ft. From ft. to ft.							
GRAVEL PACK INTERVALS:		From 20 ft. to 160 ft. From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout XX Bentonite 4 Other							
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft.		ft. From ft. to ft.							
What is the nearest source of possible contamination:		XX Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well							
2 Sewer lines		5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well							
3 Watertight sewer lines		6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)							
Direction from well? West		How many feet? 100							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 3 Topsoil									
3 7 Fine Sand									
7 29 Clay									
29 33 Fine Sand									
33 67 Clay									
67 159 Large Gravel									
159 160 Clay									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) March 13, 1990 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) March 14, 1990 under the business name of Friesen Windmill & Supply Inc. by (signature) 6108602068-1									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.									