USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

				1
1. Location of well: Ford Fraction SE74 Prilled 25	'East	Section		Township number Range number
1/4 Cellte				T 27 S R 25 E/W
		Owner of well:		Bell Farms
1-34 Street address of well location if in city: Of Dodge City R.R. or structure of City, state			code:	Dodge City, Kansas
4. Locate with "X" in section below: Sketch map:				6. Bore hole dia. 28 in. Completion date Well depth 175 ft. 6-28-76
↑			7 Cable tool Rotary Driven Dug	
			Hollow rod Jetted Bored X_ Reverse rotary	
			8. Use: Domestic Public supply Industry	
			Lawn Oil_field water Other	
sw				9. Casing: Material Height: Above or below
<u> </u>			Threaded Welded _X Surface in. RMP PVC Weight 1 - 66 lbs./ft.	
S I→I Mile				Dia. 16n. to 175t. depth Wall Thickness: inches or
5. Type and color of material		From	То	Dia in. to ft. depth gage No 188
Comp.				10. Screen: Manufacturer's name
Surface		-	2	Type 10% Free-flo _{Dia} . 16 Slot/gauze 1/8 Length 80
Clay		2	40	Set between <u>89</u> ft. and <u>169</u> ft.
Dry sand		40	79	Gravel pack? YES Size range of material 1/2 down
Clay		79	91	11. Static water level: mo./day/yr.
Med. sand and gravel		91	104	110 ft. below land surface Date 5-24-76
Clay		104	105	12. Sumping level below land surfaces: 150 ft. after 1 hrs. pumping 900 g.p.m.
Med. sand and small gravel		105		160 ft. after 1 hrs. pumping 1200 g.p.m. Estimated maximum yield 1200 g.p.m.
Colonia - Control - - Contro	5,44	1.00		13. Water sample submitted: mo./day/yr.
Odleche Clay		107	176	Yes No Date
Hard rock	 4	176	179	14. Well head completion: Pitless adapter X Inches above grade
Coleche clay		179	186	15. Well grouted? Yes
Shale	: .	186	189	With: Neat cement Bentonite X Concrete Depth: From O ft. to 10 ft.
The second secon				16. Nearest source of possible contamination: NA
and to have a series of the se	. E # \1	. :		ft Direction Type
	eri sego	53	-	17. Pump: Not installed
		-		Manufacturer's name Gaulds Model number 2JMHC HP 125 Volts
				Length of drop pipe 165 ft. capacity 1059.p.m.
				Type: Submersible
The state of the s	-			Jet Reciprocating
(Use a second sheet if needed)	***************************************	<u> </u>		Centrifugal Other
18. Elevation: 19. Remarks:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
Topography:				is true to the best of my knowledge and belief.
Hill				Ace-HI International 190 Business name License No.
Slope				Address Dodge City, Kansas
Valley				Signed Galla Juttl Authorized representative Date 6 29-7