WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						10	opeka, Kansas 66620		
1. Location of well:	County	Fraction			number	Township number Range nur		mber	
Locuiton of well:	Ford NW 1/4 NW 1/4 SE 1/4			20		T 27	s R 25	E/W	
2. Distance and dire	ection from nearest town or city:	SW 1 ¹ / ₂ S	3. Owr	ner of well		& R Land & Catt	le Co.		
Street address of well location if in city: of Dodge					Box	x 539 odge City, Ks. 67801			
					code: Do				
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 26 in. Completion date 4/04/7			
1	V					Well depth 215 ft.			
!						7 Cable tool X Rotary Driven Dug			
						Hollow rod Jetted Bored Reverse rotary			
E W						8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other			
sw	SE					9. Casing: Material St			
i	1					Threaded Welded	Surface 12	in.	
	S					RMP PVC	{Weight36 • {	36_lbs./ft.	
<u>1</u> → 1 ∧	Aile ————				1	Dia. 10 in. to 27 ft. d	epth!Wall Thickness:	inches or	
5. Type and color of material					То	Diain. to ft. depth gage No. 219			
						10. Screen: Manufacturer' Lakewood	s name		
Clay				0	80		Dia16		
						Type Millslot Slot/gauzel/8x2"	Length <u>96</u>		
Sand				80	100	Set between 119	ft. and215	ft.	
Cond				100	120	ft. andft. Gravel pack? _X Size range of material _ down			
Sand, gr	avel			100	120				
Cand	over 1 h moote -t			120	740	11. Static water level:		no./day/yr.	
-sand, gr	avel & rock streak			120	140	11. 20.0		<u>/1//8</u>	
Clay				140	160	12. Pumping level below land surfaces: 200 ft. after hrs. pumping 380 g.p.m ft. after hrs. pumping g.p.m.			
The production of the second s				260	100				
Clay, sa	na		5	160	180	Estimated maximum yield _		g.p.m.	
0				100	000	13. Water sample submitted		no./day/yr.	
Sand, gr	avel		·	180	200	Yes <u>x</u> No	_		
Sand					205	14. Well head completion:			
Mar Production of the second o						Pitless adapter Inches above grade			
Clay	A Company of the Comp			205)	215	15. Well grouted?	_		
Shale				215		With: Neat cement _	BentoniteX	_ Concrete	
Control to a second section of the second section	Marian Company	Manager again ranger rangers, and a game a few	+ 27 %	1.	-	Depth: FromO ft.	to <u>10</u> ft.		
						16. Nearest source of possi	7	ΙΔ	
			F 114375	13-31		ft Direction _ Well disinfected upon com		X No	
				-					
						17. Pump: Manufacturer's name	_ x Not installe	u .	
						Model number		/olts	
						Length of drop pipe	ft. capacity	g.p.m.	
						Туре:			
						Submersible	Turb		
	4.	L				Jet		procating	
(Use a second sheet if needed)					1	Centrifugal	Oth	SI .	
18. Elevation:	19. Remarks:					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belieff. 36 A			
Topography:	Pump to be installed at a later date.						High Plains Drilling & Supp.		
Hill						Business page 10 W. Hiway50 G.C. Ks.			
Slope						Address 5310 W. H	iway50 G.C.	. KS.	
X Upland						Signed Kay D. Ha	Anest Do	4.041	
Valley						Authorized	epresentative		