

## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County:

Ford

Location listed as:

Section-Township-Range:

9-27-25E

Fraction (  $\frac{1}{4}$   $\frac{1}{4}$   $\frac{1}{4}$ ):

SW NW NW

Location changed to:

9-27-25W

SW NW NW

Other changes: Initial statements:

Changed to:

Comments:

E changed to W

verification method:

County maps, location and address information

initials:

ms

date:

3-3-06

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

## WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number  
 COUNTY: FORD SW 1/4 NW 1/4 NW 1/4 9 T 27 S R 25 E

Distance and direction from nearest town or city street address of well if located within city?  
 FROM DODGE CITY - JCT. 283 & 56 - 3 WEST ON 56, 1/4 SOUTH

2 WATER WELL OWNER: TAYLOR, MARCIA  
 RR#, St. Address, Box #: 1409 FIRST AVE. Board of Agriculture, Division of Water Resources  
 City, State, ZIP code: DODGE CITY, KS 67801- Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N					
	X				

4 DEPTH OF COMPLETED WELL 185 ELEVATION: 0  
 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.

WELL'S STATIC WATER LEVEL 88 ft. below land surface measured on mo/day/yr 07/01/05  
 Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm

Estimated Yield 60 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm

Bore Hole Diameter 10 in. to 185 ft., and in. to 0 ft.

WELL WATER TO BE USED AS: DOMESTIC

Was a chemical/bacteriological sample submitted to department? No;  
 If yes, mo/day/yr sample was submitted Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLUED  
 Blank casing diameter 5 in. to 185 ft., Dia in. to 0 ft., Dia in. to 0 ft.  
 Casing height above land surface 12 in., weight 200 lbs/ft. Wall thickness or gauge No. 21  
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC  
 SCREEN OR PERFORATION OPENINGS ARE: SAW CUT

SCREEN PERFORATED INTERVALS: From 140 ft. to 180 ft., From 0 ft. to 0 ft.  
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 185 ft., From 0 ft. to 0 ft.  
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL BENTONITE  
 Grout intervals: From 5 ft. to 25 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.  
 What is the nearest source of possible contamination: NONE  
 Direction from well? How many feet? 0

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	20	01 TOPSOIL 02 FINE SAND			
20	40	02 FINE SAND			
40	60	37 FIN-COAR SAN			
60	80	37 FIN-COAR SAN 06 SMALL GRAVEL			
80	117	37 FIN-COAR SAN 06 SMALL GRAVEL 38 SHAL-MED G			
117	121	28 SAND 27 ROCK			
121	140	37 FIN-COAR SAN 06 SMALL GRAVEL			
140	160	37 FIN-COAR SAN 06 SMALL GRAVEL 05 CLAY			
160	175	05 CLAY 37 FIN-COAR SAN			
175	200	32 TAN CLAY 07 BLUE SHALE			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 08/09/05 and this record is true to the best of my knowledge and belief. Kansas  
 Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 08/11/05  
 under the business name of JOE'S WELL SERVICE, INC. by (signature) *Janet Creek*