WATER WELL REC	ORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	_{o.}		
1 LOCATION OF WATER WELL:		Fraction		Section	on Number	Township No.	Range Nu		
County: Ford		14 SW 14 SU	11/4ne1/	61.1	19	T J S		□E ⊠ W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Globa	Global Positioning System (GPS) information: Latitude:				
from hearest town of intersection. If at owner s address, effects here					Longitude: (in decimal degrees) Longitude: (in decimal degrees)				
				Eleva	Elevation:				
2 WATER WELL OWNER: Brock Kerr					Datum: WGS 84, NAD 83, NAD 27				
RR#, Street Address, Box #: 11643 107 Rd.					Collection Method: GPS unit (Make/Model:)				
City State ZIP Code			ואס	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
3 LOCATE WELL					Est. Accuracy:				
WITH AN "X" IN	4 DEPTH OF COMPLETED WELL				ft.				
SECTION BOX:	Depth(s) Groundwater Encountered (1)								
N N	WELL'S STATIC WATER LEVEL 230ft. below land surface measured on mo/day/yr/0/!/2///2 Pump test data: Well water was								
ECT VIELD Well water was					ft. after hours pumping gpm				
WELL WATER TO BE USED AS. Fublic wa					er supply Geothermal Injection well				
					r supply Dewatering Other (Specify below)				
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
l mile Water well disinfected? ★ Yes No									
5 TYPE OF CASING USED: Steel Y PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot									
Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From 24 ft. to 270 ft., From 300 ft. to 445 ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Septic tank							pelow)		
Sewer lines Cesspool Sewage lagoon Fuel storage Watertight sewer lines Seepage pit Feedyard Fertilizer sto									
Direction from well			Fertilizer s Distance			s well		•••••	
FROM TO	LITHOLOG		FROM	TO		OG (cont.) or PLU			
0 20 Tan	clay		311	316	Shale				
	Sandy clay		316	360	Sandst	ore			
130 180 Med. 180 200 white	Sand crock+fil	1	360 362	362 375	Shale	4 (1	\	,	
	tone + Shal		375	386	<u>Sands</u> Shale	+ Sandstone	High	4)	
215 240 Shale			386	393					
240 185 Sand	stant & sha	Ic layers	393	402	white				
	stone + she		402	440	Sands	FONE (1005C	>		
304 310 Sand 310 311 Sand	stone & She	de layers	440	445	- Shale				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, Treconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) 19/17/12 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
under the business name of INSTRUCTIONS: Use typewrit	er or ball point pen	PLEASE PRESS FIRM	and PRINT	early Plea	ignature)	and check the cover	answers Se	end three copies	
(white, blue, pink) to Kansas De	partment of Health	and Environment, Bureau	of Water, Geo	logy Section	on, 1000 SW Jac	ckson St., Suit 420,	Topeka, Kans	sas 66612-1367.	
Telephone 785-296-5524. Send http://www.kdheks.gov/waterwell/		ER WELL OWNER and	retain one for	your recor	as. Include fee	of \$5.00 for each c	onstructed we	II. Visit us at	
KSA 82a-1212									