

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction SE 1/4 SE 1/4 SE 1/4	Section number 84	Township number T 27 S	Range number R 24 E/W															
2. Distance and direction from nearest town or city: 7 miles W Dodge			3. Owner of well: Doug Hinshaw																		
Street address of well location if in city:			R.R. or street: RR																		
			City, state, zip code: Ensign, Ks 67841																		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 in. Completion date 20/1/78																	
<div style="text-align: center;">N</div> <div style="display: flex; align-items: center;"> <div style="text-align: center; margin-right: 10px;">W</div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> <table border="1" style="width: 100px; height: 100px; border-collapse: collapse;"> <tr><td style="text-align: center;">NW</td><td style="text-align: center;">NE</td></tr> <tr><td style="text-align: center;">SW</td><td style="text-align: center;">SE</td></tr> </table> </div> <div style="text-align: center; margin-left: 10px;">E</div> </div> <div style="text-align: center; margin-top: 10px;">S</div> <div style="text-align: center; margin-top: 10px;">1 Mile</div>		NW	NE	SW	SE	Pasture		Well depth 100 ft.													
NW	NE																				
SW	SE																				
5. Type and color of material				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug																	
				Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>Topsoil</td> <td>0</td> <td>4</td> </tr> <tr> <td>Clay & sand</td> <td>4</td> <td>45</td> </tr> <tr> <td>Gravel</td> <td>45</td> <td>95</td> </tr> <tr> <td>Shale</td> <td>95</td> <td>100</td> </tr> </tbody> </table>					From	To	Topsoil	0	4	Clay & sand	4	45	Gravel	45	95	Shale	95	100	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry		
					From	To															
Topsoil	0	4																			
Clay & sand	4	45																			
Gravel	45	95																			
Shale	95	100																			
				9. Casing: Material Plastic Height: Above or below																	
				Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18 in.																	
				RMP <input type="checkbox"/> PVC glue Weight 250 lbs./ft.																	
				Dia. 5 in. to 100 ft. depth Wall Thickness: inches or																	
				Dia. 5 in. to 100 ft. depth gage No. 250																	
				10. Screen: Manufacturer's name Jess & Lowell																	
				Type Plastic Dia. 5 in.																	
				Slot 1/8 in. Length 30 ft.																	
				Set between 70 ft. and 100 ft.																	
				Gravel pack? yes Size range of material 30 ft.																	
				11. Static water level: 25 ft. below land surface Date 1/20/78																	
				12. Pumping level below land surfaces: N/A																	
				ft. after 0 hrs. pumping 0 g.p.m.																	
				Estimated maximum yield 0 g.p.m.																	
				13. Water sample submitted: 0 mo./day/yr.																	
				Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date 1/20/78																	
				14. Well head completion:																	
				<input checked="" type="checkbox"/> Pitless adapter 18 inches above grade																	
				15. Well grouted? <input checked="" type="checkbox"/>																	
				With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete																	
				Depth: From 3 ft. to 20 ft.																	
				16. Nearest source of possible contamination: Pasture																	
				ft. 0 Direction 0 Type 0																	
				Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																	
				17. Pump:																	
				Manufacturer's name Dempster																	
				Model number CH 15052 HP 1 1/2 Volts 220																	
				Length of drop pipe 84 ft. capacity 25 g.p.m.																	
				Type:																	
				<input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine																	
				<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating																	
				<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																	
(Use a second sheet if needed)				20. Water well contractor's certification:																	
				This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.																	
18. Elevation:				Business name Crage Well Drilling 111																	
				Address 1308 So Second Dodge City Ks																	
19. Remarks:				Signed Larry Shultz Date 7/2/78																	
				Authorized representative																	