


USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:		County	Fraction	Section number	Township number	Range number
		Ford	Center of SE 1/4 1/4	4	T 27 S	R 26 E
2. Distance and direction from nearest town or city: 7W on Hwy. 56, 2 1/2 N, 1/4 E, 1/8 N, 1/8 E of Dodge City			3. Owner of well: Neil Henshaw			
Street address of well location if in city:			R.R. or street: Ensign, KS 67841			
City, state, zip code:						
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 28 in. Completion date 1-3-77		
				Well depth 176 ft.		
				7. Cable tool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotary		
				8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other		
				9. Casing: Material steel Height: Above or below Threaded Welded X Surface 12 in. RMP PVC Weight lbs./ft. Dia. 16 in. to 0 ft. depth Wall Thickness: inches or Dia. 16 in. to 9 ft. depth gage No. .188		
5. Type and color of material		From	To	10. Screen: Manufacturer's name W. A. Brown		
Surface		0	3	Type Bridge Dia. 16		
Fine Dry Sand		3	45	Slot/gauze .188 10% Length 80'		
Sand		45	65	Set between 96 ft. and 176 ft.		
Sand & Clay		65	85	Gravel pack? X Size range of material 1/4 to 5/8		
Sand & Clay Balls		85	91	11. Static water level: mo./day/yr. 107 ft. below land surface Date 1-3-77		
Sand & Gravel		91	100	12. Pumping level below land surfaces: 155 ft. after 3 hrs. pumping 1000 g.p.m.		
Gravel (good)		100	155	ft. after hrs. pumping g.p.m.		
Clay		155	160	Estimated maximum yield 1100 g.p.m.		
Gravel (good)		160	174	13. Water sample submitted: mo./day/yr. Yes X No Date		
Caliche & Clay		174	179	14. Well head completion: Pitless adapter Inches above grade		
Shale		179	180	15. Well grouted? X With: Neat cement X Bentonite Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: ft. Direction Type none		
				Well disinfected upon completion? Yes X No		
				17. Pump: Not installed		
				Manufacturer's name Western Land Roller		
				Model number 5-12CH HP 80 Volts		
				Length of drop pipe 160 ft. capacity 600 g.p.m.		
				Type: Submersible X Turbine		
				Jet Reciprocating		
				Centrifugal Other		
18. Elevation: 2640		19. Remarks: 2640 107 w.l. flow		20. Water well contractor's certification:		
Topography: Hill Slope Upland Valley				This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
				Woofter Drilling, Inc. 343		
				Business name License No.		
				Address Hwy 56 Dodge City, KS		
				Signed Michael Woofter Date 1/3/77		
				Authorized representative		