

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: FORD	NE 1/4 NW 1/4 SW 1/4	17	T 27 S	R 26 E	(W)
Distance and direction from nearest town or city street address of well if located within city? 7 1/2 West, 2 1/2 South, 1/2 West of Dodge City, Kansas (South Well)					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Mr. David Buchanan 1705 11th Avenue Dodge City, KS 67801 Board of Agriculture, Division of Water Resources Application Number: ---			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL.....180..... ft. ELEVATION:Slope.....			
<div style="text-align: center;">N --- NW --- NE --- --- SW --- SE --- S</div>		Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL .121..... ft. below land surface measured on mo/day/yr Aug. 30, 1989. Pump test data: Well water was ft. after hours pumping gpm Est. Yield ... 20 ... gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter... 10 ... in. to 180 ... ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No...XX....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . XX . Clamped ..			
1 Steel 3 RMP (SR) XX PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass Welded Threaded			
Blank casing diameter 5 in. to 140 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 18 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped XX Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 140 ft. to 180 ft., From ft. to ft. From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 180 ft., From ft. to ft. From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite XX Other Baroid Hole Plug					
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: NONE		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage NA			
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	60	Clay			
61	120	Clay and Fine Sand			
120	165	Med. to Lar. Sand & Gravel			
165	180	Caliche			
180	--	Black Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) September 11, 1989 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) September 25, 1989 under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.					