


USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82g-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction Center 1/4 1/4 SE 1/4	Section number 29	Township number T 27 S R 26	Range number 26
2. Distance and direction from nearest town or city: 3E & 1N of Ensign, Ks. Street address of well location if in city:				3. Owner of well: BEL Farms (John Brown) R.R. or street: 508 Annette City, state, zip code: Dodge City, Ks. 67801		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 28 in. Completion date 5-20-77 Well depth 315 ft.		
				7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material				From	To	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Surface				0	3	9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft.
Brown Clay				3	26	Dia. 16 in. to 0 ft. depth Wall Thickness: inches or Dia. 16 in. to 160 ft. depth gage No. 188
Brown sand clay				26	30	10. Screen: Manufacturer's name W. A. Brown Type 17% .188 Dia. 166 Slot/gauze 17% Length 40 Set between 160 ft. and 315 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 x 5/8
Fine sand 10% Clay mixed				50	110	11. Static water level: <input type="checkbox"/> mo./day/yr. 164 ft. below land surface Date 4-18-77
Fine sand				110	165	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield No test pump g.p.m.
"Very Good" fine to med. sand & gravel				165	300	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date
Yellow Clay				300	303	14. Well head completion: ____ Pitless adapter 12" Inches above grade
Blue shale				303	315	15. Well grouted? <input checked="" type="checkbox"/> With: ____ Neat cement <input checked="" type="checkbox"/> Bentonite ____ Concrete Depth: From 0 ft. to 10 ft.
						16. Nearest source of possible contamination: ft. 3/8-41 Direction S to Farm Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
						17. Pump: Manufacturer's name Western Land Model number 6-12KBH HP 125 Volts 120 Length of drop pipe 290 ft. capacity 1000 g.p.m. Type: ____ Submersible <input checked="" type="checkbox"/> Turbine ____ Jet <input type="checkbox"/> Reciprocating ____ Centrifugal <input type="checkbox"/> Other
						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Woofter Drilling, Inc 343 Business name License No. Address Hwy 56, Dodge City, KS Signed Michael Woofter Date 12/11/77 Authorized representative
18. Elevation:		19. Remarks:				
Topography: ____ Hill ____ Slope <input checked="" type="checkbox"/> Upland ____ Valley						