WILL	AARLL	KECUKD	rore	H 44 44 C-2				urces; App. No.			
1 LOCA	TION OF	WATER WELL:	Fraction	NW x	TE 1/2 Se	ection Nu	mber	Township Num	ber Rang	ge Number	
Dietance o	nd direction	from negreet town	OF City etre	et address of u	vell if CL	nhal Pacif	tioning	System (decimal	degrees mi	n of 4 digites	
County: Ford   Section Number   Township Number   Range Number   Township Number											
		OWNER: Jim Re	inart		E	levation:	3700	.034			
							3700				
City, S	tate, ZIP Co	Box # : PO Box ode : Ensign		Datum: Data Collection Method:							
3 LOCA	TE WELL	'S 4 DEPTH OF	COMPLI	ETED WELL	290			ft.			
LOCATON											
	AN "X" I	N Denth(s) Group	dwater Fn	countered 1			ft 2	. A	3	A	
	ION BOX:	WELL'S STA	CIC WATE	R LEVEL	190 ft	below lan	d surfa	ce measured on i	mo/dav/vr #	5/6/08	
		Pumi	test data	Well water w	/as	ft. s	nter	4 hours p	ımnino	gpm	
х <sub>Г -</sub> -		Est Vield	oum.	Well water w	/as	ft :	after	hours p	imping	gpm	
NW		WELL WATE	R TO BE U	ISED AS: 5			8 Āii	r conditioning 1	1 Injection	well	
	THE	1 Domestic 3	Feed lot	6 Oil field w	ater supply	v	9 Dew	r conditioning 1 atering 12	Other (Spe	cify below)	
w <del>                                    </del>		E 2 Irrigation 4	Industrial	7 Domestic (	lawn & ga	rden) (1	D Moni	itoring well	ouisi (opi	,012,0010)	
⊢sw	SE-	2 22.5		, 201110000 (			9				
3,1	1 %	Was a chemica	1/hacteriolo	oical sample s	ubmitted t	to Departs	ment?	Yes No	: If ves	mo/day/yrs	
<u> </u>	S							ell Disinfected?			
5 TYPE	OF CASI	NG USED: 5	Wrought I	ron 8	Concrete	tile	CAS	ING JOINTS: G	lued X C	lamped	
1 Ste	el	3 RMP (SR) 6	Asbestos-	Cement 9	Other (sp	pecify bel	ow)	W	elded		
2 RV	C	4 ABS 7	Fiberglass	1		-		T	hreaded		
Blank casi	ing diamete	r 2 in. to	290	ft., Dia	in	. to	ft.,	Dia	in. to	ft.	
PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 2 in. to 290 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., Weight .703 lbs./ft. Wall thickness or gauge No154										.154	
TYPE OF	SCREEN (	OR PERFORATION	MATERI	AL:				· ·			
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cernent 12 None used (open hole)											
2 Bra	ass 4 Gal	vanized steel 6 Co	ncrete tile	8 RM (SR)	10 As	bestos-Ce	ment	12 None used	(open hole)		
1 Continuous slot											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 2-16 ft. to 290 ft. From ft. to ft.  From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 20 ft. to 290 ft. From ft. to ft.  From ft. to ft. From ft. to ft.											
			From		ft. to	-=:	ft. Fr	om	ft. to	ft	
GR	AVEL PAG	CK INTERVALS:	From	20	ft to	290	ft Fn	om	ft to	ft	
0			From		ft. to		ft. Fr	om	ft. to	ft.	
CODOL	TO 3.5 A (1979)	NAT 1 No.			<u> </u>		04				
6 GRUE	JI MATE	RIAL: 1 Neat cer	nent 2 Co	ement grout	3 Bentor	nte 4	Otner	·			
Grout Inte	ervais F	rom 0 ft. to	20 f	t. From	II. I	io	It.	From	It. to	n.	
		ource of possible co				1	10 7	4: . : 4	16.00	d (:C-	
	tic tank	4 Lateral li						ecticide Storage	16 01	ther (specify	
	er lines	5 Cess poo	1 8 Sew	age lagoon 11	l Fuel stor	rage	14 Aba	andoned water w	eli be	elow)	
	tertight sew from well?	er lines 6 Seepage	pit 9 Feed					well/ gas well			
FROM	TO		LOGIC LO	XG	FROM	TO		PLUGGING	INTERVA	LS	
0	2	Top soil									
2	40	Sandy Clay									
40	62	Sandy clay w/sand									
62 100	100 137	Sand fine to med Sandy clay w/ san									
137	205	Sand fine to med		revel		<b></b>					
205	285	Sand fine to med				<del> </del>					
285	290	Black shale	Jaise W/B								
	T = -										
						-					
	1	1			I			,			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 05/06/08 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 145  This Water Well Record was completed on (mo/day/year) 06/16/08									
under the business name of Henkle Drilling & Supply Co, Inc. by (signature) But   Ruchmoth									
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									