

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: COUNTY: GRAY		Fraction SW 1/4 NE 1/4 NE 1/4	Section Number 18	Township Number T 27 S	Range Number R 28 W																																																																		
Distance and direction from nearest town or city street address of well if located within city? FROM CIMARRON - 5 S, 3 W, 2 S & 1 1/2 WEST OF CIMARRON																																																																							
2 WATER WELL OWNER: RR#, St. Address, Box #: UNRUH, JOHN B. City, State, ZIP code: MONTEZUMA, KS 67867-		Board of Agriculture, Division of Water Resources Application Number: 19040																																																																					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 260 ELEVATION: 0 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.																																																																					
<table border="1"> <tr> <td>1</td> <td>NW</td> <td>X</td> <td>NE</td> </tr> <tr> <td>2</td> <td>SW</td> <td></td> <td>SE</td> </tr> </table>		1	NW	X	NE	2	SW		SE	WELL'S STATIC WATER LEVEL 120 ft. below land surface measured on mo/day/yr 02/03/97 Pump testdata: Well water was 0 ft. after 0 hours pumping 0 gpm Estimated Yield 700 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm Bore Hole Diameter 30 in. to 260 ft., and in. to 0 ft. WELL WATER TO BE USED AS: IRRIGATION Was a chemical/bacteriological sample submitted to department? No; If yes, mo/day/yr sample was submitted Water well disinfected? Yes																																																													
1	NW	X	NE																																																																				
2	SW		SE																																																																				
5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLUED Blank casing diameter 16 in. to 260 ft., Dia in. to 0 ft., Dia in. to 0 ft. Casing height above land surface 12 in., weight 200 lbs/ft. Wall thickness or gauge No. 21 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: SAW CUT																																																																							
SCREEN PERFORATED INTERVALS: From 195 ft. to 245 ft., From 0 ft. to 0 ft. GRAVEL PACK INTERVALS: From 0 ft. to 0 ft., From 0 ft. to 0 ft. From 20 ft. to 260 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft.																																																																							
6 GROUT MATERIAL CEMENT GROUT Grout Intervals: From 0 ft. to 20 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: NONE - NEW SITE Direction from well? How many feet? 0																																																																							
<table border="1"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>20</td> <td>TOPSOIL GRAY CLAY FINE SAND</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>40</td> <td>FINE SAND</td> <td></td> <td></td> <td></td> </tr> <tr> <td>40</td> <td>60</td> <td>FINE SAND CLAY LAYERS</td> <td></td> <td></td> <td></td> </tr> <tr> <td>60</td> <td>80</td> <td>FINE SAND COARSE SAND CLAY</td> <td></td> <td></td> <td></td> </tr> <tr> <td>80</td> <td>100</td> <td>FINE SAND COARSE SAND GRAY CLAY</td> <td></td> <td></td> <td></td> </tr> <tr> <td>100</td> <td>120</td> <td>CLAY TAN IN COLOR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>120</td> <td>140</td> <td>CLAY TAN IN COLOR CALACHIE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>140</td> <td>160</td> <td>FINE SAND COARSE SAND VERY LOOSE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>160</td> <td>180</td> <td>FINE SAND</td> <td></td> <td></td> <td></td> </tr> <tr> <td>180</td> <td>200</td> <td>FINE SAND CLAY LAYERS</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	20	TOPSOIL GRAY CLAY FINE SAND				20	40	FINE SAND				40	60	FINE SAND CLAY LAYERS				60	80	FINE SAND COARSE SAND CLAY				80	100	FINE SAND COARSE SAND GRAY CLAY				100	120	CLAY TAN IN COLOR				120	140	CLAY TAN IN COLOR CALACHIE				140	160	FINE SAND COARSE SAND VERY LOOSE				160	180	FINE SAND				180	200	FINE SAND CLAY LAYERS			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																		
0	20	TOPSOIL GRAY CLAY FINE SAND																																																																					
20	40	FINE SAND																																																																					
40	60	FINE SAND CLAY LAYERS																																																																					
60	80	FINE SAND COARSE SAND CLAY																																																																					
80	100	FINE SAND COARSE SAND GRAY CLAY																																																																					
100	120	CLAY TAN IN COLOR																																																																					
120	140	CLAY TAN IN COLOR CALACHIE																																																																					
140	160	FINE SAND COARSE SAND VERY LOOSE																																																																					
160	180	FINE SAND																																																																					
180	200	FINE SAND CLAY LAYERS																																																																					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 12/08/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 174 473 This Water Well Record was completed on (mo/day/yr) 03/04/97 under the business name of JOE'S WELL SERVICE, INC. by (signature) <i>Joe's Well Service</i>																																																																							

(Continued)

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: COUNTY: GRAY		Fraction SW 1/4 NE 1/4 NE 1/4	Section Number 18	Township Number T 27 S	Range Number R 28 W												
2 WATER WELL OWNER: RR#, St. Address, Box #: UNRUH, JOHN B. City, State, ZIP code: MONTEZUMA, KS 67867-		Board of Agriculture, Division of Water Resources Application Number:															
<table border="1"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> </tr> </thead> <tbody> <tr> <td>200</td> <td>220</td> <td>FINE SAND COARSE SAND SMALL GRAVEL</td> </tr> <tr> <td>220</td> <td>243</td> <td>FINE SAND COARSE SAND GRAVEL</td> </tr> <tr> <td>243</td> <td>260</td> <td>CLAY ROCK LAYERS BLUE SHALE</td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	200	220	FINE SAND COARSE SAND SMALL GRAVEL	220	243	FINE SAND COARSE SAND GRAVEL	243	260	CLAY ROCK LAYERS BLUE SHALE
FROM	TO	LITHOLOGIC LOG															
200	220	FINE SAND COARSE SAND SMALL GRAVEL															
220	243	FINE SAND COARSE SAND GRAVEL															
243	260	CLAY ROCK LAYERS BLUE SHALE															