

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County	Fraction	Section number	Township number	Range number	
GRAY	SE 1/4 NW 1/4 SE 1/4	10	T 27 S R 28	EW		
2. Distance and direction from nearest town or city: Cimmaron 1 1/4 west 3/4 south Street address of well location if in city:	5 1/4 south of	3. Owner of well: R.R. or street: City, state, zip code:	Don Renick (#28) Ingalls, Ks. 67853			
4. Locate with "X" in section below:	Sketch map:	6. Bore hole dia. 26 in. Completion date 11-20-76 Well depth 190 ft.				
		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary				
5. Type and color of material	From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
			9. Casing: Material <input type="checkbox"/> steel Height: Above or below <input type="checkbox"/> Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36,871 lbs./ft. Dia. 16 in. to 191 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. <input type="checkbox"/>			
			10. Screen: Manufacturer's name <input type="checkbox"/> Johnson Division Type <input type="checkbox"/> Galv. Dia. 16" Slot/gauze 100 Length 201 Set between 135 ft. and 165 ft. Peri/100-135 ft. and 165-190 ft. Gravel pack? <input type="checkbox"/> Yes range of material <input type="checkbox"/> 16" Down			
			11. Static water level: <input type="checkbox"/> mo./day/yr. 71 ft. below land surface Date 3-9-76			
			12. Pumping level below land surfaces: 127 ft. after 3 hrs. pumping 725 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 725 g.p.m.			
			13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>			
			14. Well head completion: 12 <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade			
			15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 70 ft.			
			16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Goulds US Pump Model number 12JHNO HP 75 Volts <input type="checkbox"/> Length of drop pipe 130 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
(Use a second sheet if needed)			18. Elevation: 19. Remarks: Drilling done by Central Well & Pump Pratt, Ks.			
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name P.O. Box A Garden City, Ks. Address <input type="checkbox"/> Signed <input type="checkbox"/> Authorized representative Date 8-12-76					

The Professionals **MINTER-WILSON DRILLING CO.** INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Don Renick
12-19-74

Location: NE 10-27-28, NW corner of $\frac{1}{4}$, Five miles
south of Cimarron, $1\frac{1}{2}$ West

Test: #6, 1-D

0	7	Fine to med. sand
7	18	Fine to med. sand & clay
18	65	Fine to med. sand & gravel, streak of coarse gravel (loose)
65	81	Med. to coarse gravel (loose)
81	110	Fine to med. sand & gravel (loose)
110	123	Brown clay & white rock
123	138	Fine to med. sand & gravel, 10% clay (loose)
138	150	Brown clay
150	155	Fine to med. sand & gravel (loose)
155	185	Brown clay
185	193	Fine to med. sand & gravel, 15% clay (loose)
193	202	Fine to med. sand & gravel (loose)
202	231	Fine to med. sand & gravel with brown rock, 10% clay (loose)
231	247	Fine to med. sand & fine gravel 10% clay (loose)

TD-254

Professional

MINTER-WILSON DRILLING CO. INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

247 254 Fine to med. sand & gravel with brown
& yellow clay, 20% with brown rock

254 260 Shale (Hard)