			WATER	WELL RECORD	Form WWC	C-5 KSA 8	32a-1212		
1 LOCATION	ON OF WA	TER WELL:	Fraction			Section Numb		ip Number	Range Number
County: C	DRAY		SE 1/4		NE 1/4	24	TS	27 s	R 28 EW
Distance a	_	from nearest town		Idress of well if loc	ated within city	·?			
	65	. of Cinux	400						
2 WATER	R WELL ON	NER GRZY	20. Feed	rard					
_	Address, Bo	t		•			Board	of Agriculture.	Division of Water Resources
	, ZIP Code		ron. Ks 1	1227				ation Number:	
		OCATION WITH	DEDTH OF CO	WOLETED WELL	TWZ	4 CLC			
AN "X"	IN SECTIO	N BOX:	DEPTH OF CC	JMPLETED WELL.			VATION:	S	
		<u> </u>			-		,		3
Ī	- !	!!"							•
	- NW	- NF	1.						umping gpm
	1								umping gpm
<u>.</u>	i	I B	ore Hole Diamet	ter. 6.74 in.	to 5.4.7.		., and	ir	n. to
∯ w ⊦	1	, N	VELL WATER TO	O BE USÉD AS:	5 Public wa	ater supply	8 Air condition	oning 11	Injection well
-			1 Domestic	3 Feedlot	6 Oil field v	water supply	9 Dewatering		Other (Specify below)
-	- SW	SE	2 Irrigation	4 Industrial		• • •			
		'	•					*C	s, mo/day/yr sample was sub-
<u> </u>			nitted	acteriological samp	ne submitted to	-	Water Well Disin		No X
5 T/DE 6	DE DI ANII/ /			E Manualita	0.00-				
		CASING USED:		5 Wrought iron		crete tile			ed Clamped
1 Ste		3 RMP (SR)		6 Asbestos-Ceme		er (specify be	,		ded
2 PV	(C)	→ ⁴ ABS		7 Fiberglass					aded
		i <u>n جنج</u> ہ.	_ / / -	ft., Dia	, in ,	to	ft., Dia .		in. to ft.
Casing hei	ight above la	and surface	?.4 i	in., weight 5	ch. 80	اb	s./ft. Wall thickn	ess or gauge N	No
		R PERFORATION				-VC	10	Asbestos-cem	ent
1 Ste	eel	3 Stainless s	steel	5 Fiberglass	,	RMP (SR)	11	Other (specify)
2 Bra	ass	4 Galvanized		6 Concrete tile		ABS		None used (or	′
		RATION OPENINGS			auzed wrapped		8 Saw cut	٠.	11 None (open hole)
	ntinuous slo				ire wrapped		9 Drilled ho		11 None (open note)
					• • •				
	uvered shut		punched	7	orch cut				
SCREEN-F	PERFORAT	ED INTERVALS:	From 9. 1						toft.
			From	ft. to	····	ft., F	rom	ft.	toft.
G	BRAVEL PA	CK INTERVALS:	From 4.8.	2 ft. to	310	ft., F	rom	ft.	toft.
			From	ft. to)	ft., F	rom	ft.	to ft.
6 GROUT	MATERIAL	.: 1 Neat cer	ment 2	2 Cement grout	3 Ber	ntonite	4 Other		
Grout Inter	vals: Fro	m ft.	. to	ft., From	ft.	to	ft., Fro	m .	ft. toft.
What is the		ource of possible co					estock pens		Abandoned water well
1 Se	ptic tank	4 Lateral	lines	7 Pit privy			el storage		Dil well/Gas well
	wer lines	5 Cess po		8 Sewage I	lagoon		rtilizer storage	_	Other (specify below)
		er lines 6 Seepag		9 Feedyard	•		•	10 0	other (specify below)
	•	er intes o Seepag	je pit	y reedyard			ecticide storage		
Direction fr FROM	TO TO		LITHOLOGIC L	00	FROM		nany feet?	PLUGGING	INTERVALO
		(C)			FROM	TO	10		INTERVALS
0	15	Diesprischer		1 Clan	5,00	300	Blues		
<u> </u>	<u>a</u> o	Fine Jan			300			· Dekota	
20	40	Sandy Cl.			390	340		05-5n	MIR
40	<u>0</u> ور	Sand Cer	nented	Jard	340		Blue Sh	Ale	
60	23	Coarse 5	and: Cla	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	400	435	Dakota		
රරි	100	Sand CI			435	440	Jhale		
100	190	Cementer		Clark	440	438	DAKOTA	Savel	
190	140	Sand, Ce			438	460	Shale	J-1-14	
140	158	Sandy Cla	11	~~·\U		513		<u>حمد</u> ا	
		Gan in	- +		460		DAKOTA	DANCI	
128		GEAVEL		-	313	545	Shale		
lias		Geavel: C			545	347	GT.		
180		SMAIL GRA							
<i>900</i>	-59Q	Med to Co	OARSE SK	and					
220		Red I white:			riques .				
240		SANdyCIA			•				
					(1)			(0) -1	4
			SET HEICAHO			THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED I			der my jurisdiction and was
	on (mo/day					and this re	cord is true to th	best of my kn	nowledge and belief. Kansas
		s License No. Y			r Well Record v	was complete	d on (mo/day/yy	(<u>3</u> :1.):	<u> </u>
under the I	business na	me of 37 ce 170	· N Deill	ing Co.		by (sig	nature) 🚜 🎊	Sol 7°	1 the
									copies to Kansas Department
		nent, Bureau of Water, To							