

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: GRAY		NE 1/4 SE 1/4 NE 1/4	2	T 27 S	R 29 EW
Distance and direction from nearest town or city street address of well if located within city? 7 1/2 M. SOUTH OF INGALLS ON HWY					
2 WATER WELL OWNER: RR#, St. Address, Box # : LEROY WENDEL City, State, ZIP Code : INGALLS, KS. 67853 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 191 ft. ELEVATION:			
<div style="text-align: center;">N W E SW SE S</div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 105 ft. below land surface measured on mo/day/yr 5/5/83			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 9 7/8 in. to 192 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		X Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded					
Blank casing diameter 5 in. to 71 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 20 in. weight 200 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 171 ft. to 191 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 80 ft. to 191 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement X Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 4 ft. to 25 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
X Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? east How many feet? 100					
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG					
0 8 TOP SOIL					
8 85 BROWN SANDY CLAY					
85 95 FINE TO MED SAND AND GRAVEL					
95 172 BROWN SANDY CLAY					
172 185 FINE TO MED SAND AND GRAVEL					
185 189 BROWN SANDY CLAY					
189 192 FINE TO MED SAND AND GRAVEL					
192 200 BROWN SANDY CLAY					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/5/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 172 This Water Well Record was completed on (mo/day/yr) 8/83 under the business name of JONAGAN DRILLING CO by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					