


Form WWC-5 KSA 82a-1212

KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction County: Gray SW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$	Section Number 7	Township Number T 27 S	Range Number R 29 EW			
Distance and direction from nearest town or city street address of well if located within city? 3 W. 8 1/2 N. of Montezuma, Ks.							
2 WATER WELL OWNER:	Marvin Koehn						
RR#, St. Address, Box # :	Board of Agriculture, Division of Water Resources						
City, State, ZIP Code :	Application Number T87-476						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL . . . 233174 . . . ft. ELEVATION:						
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL . . . 112 . . . ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 9 . . . in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:	1 Steel X PVC	3 RMP (SR) 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)			
Blank casing diameter 5 . . . in. to 154 . . . ft., Dia in. to ft., Dia in. to ft.	Casing height above land surface 18 . . . in., weight lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From 154 . . . ft. to 174 . . . ft., From ft. to ft.							
From ft. to ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 20 . . . ft. to 174 . . . ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL:	1 Neat cement Grout Intervals: From 0 . . . ft. to 20 . . . ft.	2 Cement grout From ft. to ft.	3 Bentonite From ft. to ft.	4 Other			
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) none How many feet?							
Direction from well?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
0	3	top soil					
3	50	clay					
50	90	gravel					
90	154	clay					
154	174	gravel					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-16-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 462. This Water Well Record was completed on (mo/day/yr) 12-17-87 under the business name of Sam's Water Well Service by (signature) *Alvin S. Smith*

INSTRUCTIONS: Use typewriter or ball point pen. **PLEASE PRESS FIRMLY** and **PRINT** clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.