

LOCATION OF WATER WELL:	Fraction	NE $\frac{1}{4}$	NE $\frac{1}{4}$	SE $\frac{1}{4}$	Section Number	9	Township Number	T 27	S	Range Number	R 29
-------------------------	----------	------------------	------------------	------------------	----------------	---	-----------------	------	---	--------------	------

County: Gray 035 NE  $\frac{1}{4}$  NE  $\frac{1}{4}$  SE  $\frac{1}{4}$  Section Number 9 Township Number T 27 Range Number R 29 E

Distance and direction from nearest town or city street address of well if located within city?

8 1/2 miles north 2 west of Montezuma, Kansas

WATER WELL OWNER: Andee L. Fry

RR#, St. Address, Box #: Box 216

Board of Agriculture, Division of Water Resources


Application Number:

City, State, ZIP Code: Montezuma, Kansas 67867

240'

ft. ELEVATION:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL

Depth(s) Groundwater Encountered 1. 90 ft. 2. 240 ft. 3. ft.

WELL'S STATIC WATER LEVEL 90 ft. below land surface measured on mo day yr 9-30-90

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 10 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical bacteriological sample submitted to Department? Yes  No  If yes, mo day yr sample was submitted

Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded

2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 5 in. to 180 ft. Dia in. to ft. Dia in. to ft.

Casing height above land surface 24 in. weight lbs. ft. Wall thickness or gauge No. 327

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 180 ft. to 240 ft. From ft. to ft. From ft. to ft.

From ft. to ft. From ft. to ft. From ft. to ft.

GRAVEL PACK INTERVALS: From 6 ft. to 240 ft. From ft. to ft. From ft. to ft.

From ft. to ft. From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 6 ft., From ft. to ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well

1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit 9 Feedyard

13 Insecticide storage

How many feet? 400

Direction from well? East

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 28 Topsoil & clay

26 220 Sand, gravel & little streaks of clay

220 240 Sand, lime & clay

94' 14' Old well plugged 9/30/90

14' 4' Sand & gravel

Cement Grout

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo day year) 9-30-90 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 223 This Water Well Record was completed on (mo day yr) 11-29-90

under the business name of Dunham Drilling Co. by (signature) Karen Dunham