

1 LOCATION OF WATER WELL		Fraction NE ¼ NE ¼ NE ¼		Section Number 13	Township Number T 27 S	Range Number R 29 E/W
County: Gray						
Distance and direction from nearest town or city? from Ingalls, Ks. 8 mi. South & 3/4 mi. East on black top				Street address of well if located within city?		
2 WATER WELL OWNER:		Silverado Drilling Co. (Schmidt)				
RR#, St. Address, Box # :		220 W. Douglas				
City, State, ZIP Code :		Wichita, Kansas 67202				
		Board of Agriculture, Division of Water Resources Application Number:				
3 DEPTH OF COMPLETED WELL: 315 ft. Bore Hole Diameter: 8 in. to ft., and in. to ft.						
Well Water to be used as:						
1 Domestic 3 Feedlot		5 Public water supply		8 Air conditioning		11 Injection well
2 Irrigation 4 Industrial		6 Oil field water supply		9 Dewatering		12 Other (Specify below)
		7 Lawn and garden only		10 Observation well		
Well's static water level: 147 ft. below land surface measured on August month 10 day 1980 year						
Pump Test Data : Well water was ft. after hours pumping gpm						
Est. Yield 95 gpm: Well water was ft. after hours pumping gpm						
4 TYPE OF BLANK CASING USED:						
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)
				7 Fiberglass		Casing Joints: Glued Clamped
						Welded
						Threaded
Blank casing dia 5 in. to 315 ft. Dia in. to ft. Dia in. to ft.						
Casing height above land surface 12 in. weight 200 psi jet stream SDR 21						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)
						9 ABS
						10 Asbestos-cement
						11 Other (specify)
						12 None used (open hole)
Screen or Perforation Openings Are:						
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes
				7 Torch cut		10 Other (specify)
						11 None (open hole)
Screen-Perforation Dia 1/8 in. to 40 ft. Dia in. to ft. Dia in. to ft.						
Screen-Perforated Intervals: From 270 ft. to 310 ft. From ft. to ft. From ft. to ft.						
Gravel Pack Intervals: From 10 ft. to 315 ft. From ft. to ft. From ft. to ft.						
5 GROUT MATERIAL:						
1 Neat cement		2 Cement grout		3 Bentonite		4 Other
Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible contamination: none						
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage
						13 Watertight sewer lines
						14 Abandoned water well
						15 Oil well/Gas well
						16 Other (specify below)
Direction from well How many feet ? Water Well Disinfected? Yes No						
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample						
was submitted month day year: Pump Installed? Yes No						
If Yes: Pump Manufacturer's name Model No. HP Volts						
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.						
Type of pump:						
1 Submersible		2 Turbine		3 Jet		4 Centrifugal
						5 Reciprocating
						6 Other
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was						
completed on August month 10 day 1980 year						
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179						
This Water Well Record was completed on April month 21 day 1981 year under the business						
name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) <i>Larry Crick</i>						
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:						
		FROM		TO		LITHOLOGIC LOG
		0		15		Top soil & fine sand
		15		60		Fine sand
		60		75		Fine sand & clay
		75		90		Clay
		90		105		Clay & medium to coarse sand
		105		120		Coarse sand
		120		135		Coarse sand (3ft.) & clay
		135		180		Clay & white rock layers
		180		195		Clay
195		270		Clay & fine sand		
270		285		Clay & fine sand to medium to coarse sand		
ELEVATION:						
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)						

OFFICE USE ONLY

T 27

R 29

EW

SEC.

13

1/4

NE

1/4

NE

1/4

NE

1/4

NE

1/4

NE

1/4

NE