


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Gray	Fraction NW 1/4 SE 1/4 NW 1/4	Section number 18	Township number T 27 S	Range number R 29 W
2. Distance and direction from nearest town or city: 8 south, 1 east, 3 1/4 south, 1/4 east, 100 yds		3. Owner of well: Paul Yost			
Street address of well location if in city: south of Charleston		City, state, zip code: Montezuma, Ks. 67867			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 9-16-76 Well depth 230 ft.	
				7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
				8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
5. Type and color of material		From	To	9. Casing: Material steel Height: Above 12 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 231 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 250	
				10. Screen: Manufacturer's name Johnson Type galv. Dia. 16" Slot/gauge <input type="checkbox"/> Length 20 ft. Set between 200 ft. and 220 ft. Perf: 120-200 ft. and 220-230 ft. Gravel pack? yes Size range of material 3/4" down	
				11. Static water level: <input type="checkbox"/> mo./day/yr. 69 ft. below land surface Date 9-16-76	
				12. Pumping level below land surfaces: 119 ft. after 3 hrs. pumping 1400 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1400 g.p.m.	
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
				14. Well head completion: Pitless adapter 12 inches above grade	
				15. Well grouted? yes With: Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Goulds - US Pump Model number 12JHC HP 100 Volts <input type="checkbox"/> Length of drop pipe 140 ft. capacity 1200 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		(Use a second sheet if needed)			
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drilling Co. 208 Business name License No. <input type="checkbox"/> Address Box A Garden City, Ks. Signed [Signature] Date 5-31-77 Authorized representative		
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

Professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

PAUL YOST
GRAY COUNTY
6-12-76

Location: NW, 16-27-29 100 Yds. south of pivot
Static Water Level- 0'

Test #4

0	18	Fine sand
18	50	Brown sandy clay
50	114	Fine to med. sand and gravel loose
114	128	Fine to med. sand and gravel strks. of clay 10% Loose
128	140	Fine to med. sand and gravel loose
140	177	Fine to med. sand and gravel strks. of clay 30%
177	190	Brown sandy clay
190	230	Fine to med. sand and gravel loose
230	241	Fine to med. sand and gravel strks. of clay 20% Hard used Pull Down
241	260	Brown clay with white clay & white rock Hard used Pull Down
260	265	White & yellow clay Hard used Pull Down
265	266	Shale Hard

T.D. 230'