


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: gray		NW 1/4 NW 1/4 SW 1/4	22	T 27 S	R 29 E/W
Distance and direction from nearest town or city street address of well if located within city? From Ingalls, Ks. - 9 miles South, 1 mile West and 1/2 mile South					
2 WATER WELL OWNER: Ivan Redger					
RR#, St. Address, Box # :			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: Montezuma, Kansas 67867			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 205 ft. ELEVATION:			
<div style="text-align: center;"></div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 85 ft. below land surface measured on mo/day/yr Nov. 16, 1982			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 40 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 205 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well stock well			
Was a chemical/bacteriological sample submitted to Department? Yes. No. XXX If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes XXX No					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued XXX Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded
Blank casing diameter 5 in. to 205 ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface 12 in., weight 200 psi lbs./ft. Wall thickness or gauge No. SDR 21					
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 180 ft. to 200 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 12 ft. to 205 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 12 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	
Direction from well? South				How many feet? 60	
FROM		TO	LITHOLOGIC LOG		
0		15	Sandy topsoil & fine sand		
15		30	Fine sand & brown clay		
30		45	Fine sand & white clay layers		
45		60	Medium sand & brown sandy clay		
60		75	Medium sand		
75		90	Medium to coarse sand		
90		195	Coarse sand		
195		210	Coarse sand & brown clay layers		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Nov. 17, 1982 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) August 26, 1983 under the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) <i>Lonny Crick</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					