

LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number		
Dunham		SW 1/4 SE 1/4 SW 1/4	33	T 27 S	R 29 EW		
Distance and direction from nearest town or city?			Street address of well if located within city?				
4 Miles North, 3 1/2 Miles west of Montezuma							
WATER WELL OWNER: Bill Ullom Trust c/o Tom Lewallen			Board of Agriculture, Division of Water Resources				
R#, St. Address, Box # : Box 294			Application Number:				
City, State, ZIP Code : Montezuma, Kansas 67867							
DEPTH OF COMPLETED WELL: 220 ft. Bore Hole Diameter: 10 in. to 220 ft., and in. to ft.							
Well Water to be used as:							
1 Domestic		3 Feedlot		5 Public water supply			
2 Irrigation		4 Industrial		6 Oil field water supply			
		7 Lawn and garden only		8 Air conditioning			
				9 Dewatering			
				10 Observation well			
				11 Injection well			
				12 Other (Specify below)			
Well's static water level: 120 ft. below land surface measured on July month 3 day 1990 year							
Pump Test Data: Well water was ft. after hours pumping gpm							
St. Yield 15 gpm: Well water was ft. after hours pumping gpm							
TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)		5 Wrought iron			
2 PVC		4 ABS		6 Asbestos-Cement			
				7 Fiberglass			
				8 Concrete tile			
				9 Other (specify below)			
				Casing Joints: Glued <input checked="" type="checkbox"/> Clamped <input checked="" type="checkbox"/>			
				Welded <input type="checkbox"/>			
				Threaded <input type="checkbox"/>			
Blank casing dia 5 in. to 220 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No. 327							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel		5 Fiberglass			
2 Brass		4 Galvanized steel		6 Concrete tile			
				7 PVC			
				8 RMP (SR)			
				9 ABS			
				10 Asbestos-cement			
				11 Other (specify)			
				12 None used (open hole)			
Screen or Perforation Openings Are:							
1 Continuous slot		3 Mill slot		5 Gauzed wrapped			
2 Louvered shutter		4 Key punched		6 Wire wrapped			
				7 Torch cut			
				8 Saw cut			
				9 Drilled holes			
				10 Other (specify)			
				11 None (open hole)			
Screen-Perforation Dia 5 in. to 160-180 ft., Dia in. to ft., Dia in. to ft.							
Screen-Perforated Intervals: From 200 ft. to 220 ft., From ft. to ft., From ft. to ft.							
Gravel Pack Intervals: From 20 ft. to 220 ft., From ft. to ft., From ft. to ft.							
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grouted Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool		7 Sewage lagoon			
2 Sewer lines		5 Seepage pit		8 Feed yard			
3 Lateral lines		6 Pit privy		9 Livestock pens			
				10 Fuel storage			
				11 Fertilizer storage			
				12 Insecticide storage			
				13 Watertight sewer lines			
				14 Abandoned water well			
				15 Oil well/Gas well			
				16 Other (specify below)			
Direction from well: Northwest How many feet: 200 ? Water Well Disinfected? Yes <input checked="" type="checkbox"/> No							
Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, date sample							
Was submitted month day year Pump Installed? Yes No							
Yes: Pump Manufacturer's name Model No. HP Volts							
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.							
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was							
Completed on July month 6 day 1990 year							
And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 223							
This Water Well Record was completed on 7 month 28 day 1990 year under the business							
Name of Dunham Drilling Co by (signature) [Signature]							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	45	Topsoil, clay, fine sand	195	205	Clay, lime, fine sand
		45	60	Clay, lime	205	220	Clay, lime (very hard)
		60	75	Clay, sand			
		75	90	Clay, lime, little sand			
		90	105	Sand			
		105	120	Cemented sand, sand & clay			
		120	135	clay, sand 1' cemented sand			
		135	150	Clay, little lime			
150	165	Clay, lime & little sand					
165	180	Clay, little fine sand					
180	195	Clay, lime					
ELEVATION:		Depth(s) Groundwater Encountered 1. 120 ft. 2. 165 ft. 3. 195 ft. 4. ft. (Use a second sheet if needed)					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4