

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

19,170

1 LOCATION OF WATER WELL: County: GRAY		Fraction $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$		Section Number 21		Township No. T 27 S		Range Number R 29 <input type="checkbox"/> E <input checked="" type="checkbox"/> W																					
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> W SIDE OF MONTEZUMA-2 M SW ON HWY 56, 6-1/3RDS M N, 3,945 FT. NORTH & 2,110 FT. WEST				Global Positioning System (GPS) information: Latitude: 37.68949 (in decimal degrees) Longitude: 100.49556 (in decimal degrees) Elevation: Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input checked="" type="checkbox"/> NAD 27 Collection Method: <input checked="" type="checkbox"/> GPS unit (Make/Model: GARMIN 62ST) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m																									
2 WATER WELL OWNER: RITA SCHMIDT & JWS, INC. RR#, Street Address, Box #: 21506 12 ROAD City, State, ZIP Code: MONTEZUMA, KANSAS 67867																													
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <table border="1" style="width:100%; text-align: center; border-collapse: collapse;"><tr><td></td><td></td><td></td><td></td></tr><tr><td>-- NW --</td><td></td><td></td><td>-- NE --</td></tr><tr><td></td><td></td><td>X</td><td></td></tr><tr><td>-- SW --</td><td></td><td></td><td>-- SE --</td></tr><tr><td></td><td></td><td></td><td></td></tr></table> S -----1 mile-----						-- NW --			-- NE --			X		-- SW --			-- SE --					4 DEPTH OF COMPLETED WELL 350 ft. Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL..... 205 ft. below land surface measured on mo/day/yr... 6-7-12 Pump test data: Well water was ft. after hours pumping gpm EST. YIELD..... gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 30 in. to 350 ft., and in. to ft. WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input type="checkbox"/> Monitoring well Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, mo/day/yr sample was submitted..... Water well disinfected? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							
-- NW --			-- NE --																										
		X																											
-- SW --			-- SE --																										
5 TYPE OF CASING USED: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC <input type="checkbox"/> Other CASING JOINTS: <input type="checkbox"/> Glued <input type="checkbox"/> Clamped <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Threaded Casing diameter 16 in. to 265 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface..... 12 in., Weight 42.05 lbs./ft., Wall thickness or gauge No. 250 TYPE OF SCREEN OR PERFORATION MATERIAL: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> PVC <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Brass <input type="checkbox"/> Galvanized Steel <input type="checkbox"/> None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: <input type="checkbox"/> Continuous slot <input checked="" type="checkbox"/> Mill slot <input type="checkbox"/> Gauze wrapped <input type="checkbox"/> Torch cut <input type="checkbox"/> Drilled holes <input type="checkbox"/> None (open hole) <input type="checkbox"/> Louvered shutter <input type="checkbox"/> Key punched <input checked="" type="checkbox"/> Wire wrapped <input type="checkbox"/> Saw cut <input type="checkbox"/> Other (specify) SCREEN-PERFORATED INTERVALS: From..... 265 ft. to 350 ft., From ft. to ft. From..... ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From..... 20 ft. to 190 ft., From 250 ft. to 350 ft. From..... ft. to ft., From ft. to ft.																													
6 GROUT MATERIAL: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Cement grout <input type="checkbox"/> Bentonite <input type="checkbox"/> Other Grout Intervals: From..... 0 ft. to 20 ft., From 190 ft. to 250 ft., From ft. to ft. What is the nearest source of possible contamination: <input type="checkbox"/> Septic tank <input type="checkbox"/> Lateral lines <input type="checkbox"/> Pit privy <input type="checkbox"/> Livestock pens <input type="checkbox"/> Insecticide storage <input type="checkbox"/> Other (specify below) <input type="checkbox"/> Sewer lines <input type="checkbox"/> Cesspool <input type="checkbox"/> Sewage lagoon <input type="checkbox"/> Fuel storage <input type="checkbox"/> Abandoned water well <input type="checkbox"/> Watertight sewer lines <input type="checkbox"/> Seepage pit <input type="checkbox"/> Feedyard <input type="checkbox"/> Fertilizer storage <input type="checkbox"/> Oil well/gas well N/A Direction from well Distance from well																													
FROM TO LITHOLOGIC LOG					FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS																								
SEE ATTACHED LOG																													
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, <input type="checkbox"/> reconstructed, or <input type="checkbox"/> plugged under my jurisdiction and was completed on (mo/day/year) 6-7-12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 6-11-12 under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) <i>Nara Keller</i>																													
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .																													

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 620-276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME RITA SCHMIDT
GREG LOVE - TENANT
COUNTY GRAY
DATE 4-26-12

LOCATION: NE 1/4 21-27-29 - SOUTH OF INGALLS TO SCHILLING'S CORNER
2 MILES WEST, 1/4 MILE SOUTH &
1/4 MILE WEST

STATIC WATER LEVEL -

TEST # 2

0' TO 12' - SAND
12' TO 49' - BROWN SANDY CLAY
49' TO 165' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE
165' TO 175' - BROWN SANDY CLAY
175' TO 185' - BROWN CLAY
185' TO 214' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE
214' TO 218' - BROWN CLAY
218' TO 242' - FINE TO MEDIUM SAND
WITH STRIPS OF BROWN SANDY CLAY - 15%
242' TO 248' - BROWN SANDY CLAY
248' TO 260' - FINE TO MEDIUM SAND & GRAVEL
WITH LAYERS OF BROWN SANDY CLAY - 20%
260' TO 331' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE
331' TO 335' - BROWN & YELLOW CLAY WITH 10% BROWN ROCK
335' TO 345' - YELLOW CLAY WITH TRACES OF SHALE
345' TO 350' - SHALE - 250 PULL DOWN